



NSE6_FML-6.2^{Q&As}

Fortinet NSE 6 - FortiMail 6.2

Pass Fortinet NSE6_FML-6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/nse6_fml-6-2.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Refer to the exhibit.

Sender Reputation		Authentication Reputation	Endpoint Reputation
   1 — / 1  		Records per page: 50 ▼	
IP		Score	
10.0.1.254		15	

Which configuration change must you make to block an offending IP address temporarily?

- A. Add the offending IP address to the system block list
- B. Add the offending IP address to the user block list
- C. Add the offending IP address to the domain block list
- D. Change the authentication reputation setting status to Enable

Correct Answer: D

Reference: <https://help.fortinet.com/fweb/550/Content/FortiWeb/fortiweb-admin/blacklisting.htm>

QUESTION 2

Refer to the exhibit.



Session Profile

Profile name:

☒ SMTP Limits

Restrict number of EHLO/HELOs per session to:

Restrict number of email per session to:

Restrict number of recipients per email to:

Cap message size (KB) at:

Cap header size (KB) at:

Maximum number of NOOPs allowed for each connection:

Maximum number of RSETs allowed for each connection:

FortiMail

Domain name:

Relay type:

SMTP server: Port [Test..]

☒ Use SMTPS

Fallback SMTP server: Port [Test..]

☒ Use SMTPS

☒ Relay Authentication

Other

Webmail theme:

Webmail language:

Maximum message size(KB):

SMTP greeting (EHLO/HELO) name (as client)

IP pool: Direction:

☒ Remove received header of outgoing email

☒ Use global bayesian database

☐ Bypass bounce verification

Which message size limit will FortiMail apply to the outbound email?

A. 204800

B. 1024




C. 51200

D. 10240

Correct Answer: A

QUESTION 3

Refer to the exhibit.



MTA-1 is delivering an email intended for User 1 to MTA-2.

Which two statements about protocol usage between the devices are true? (Choose two.)

- A. User 1 will use IMAP to download the email message from MTA-2
- B. MTA-2 will use IMAP to receive the email message from MTA-1
- C. MTA-1 will use POP3 to deliver the email message to User 1 directly
- D. MTA-1 will use SMTP to deliver the email message to MTA-2

Correct Answer: AD

QUESTION 4

Refer to the exhibit.



Email Archiving Exempt Policy

Policy status: ☒

Account:

Policy type:

Pattern:

Email Archiving Policy

Policy status: ☒

Account:

Policy type:

Pattern:

What two archiving actions will FortiMail take when email messages match these archive policies? (Choose two.)


- A. FortiMail will save archived email in the journal account
- B. FortiMail will allow only the marketing@example.com account to access the archived email
- C. FortiMail will exempt spam email from archiving
- D. FortiMail will archive email sent from marketing@example.com

Correct Answer: AB



QUESTION 5

Refer to the exhibit.



Access Control Rule	
Enabled	<input checked="" type="checkbox"/>
Sender:	User Defined *
Recipient:	User Defined *
Source:	IP/Netmask 0.0.0.0/0
Reverse DNS pattern:	* <input type="checkbox"/> Regular Expression
Authentication status:	Any
TLS profile:	--None--
Action:	Reject
Comments:	

+ New... Edit...

It is recommended that you configure which three access receive settings to allow outbound email from the example.com domain on FML-1? (Choose three.)

- A. The Sender pattern should be set to *@example.com
- B. The Action should be set to Relay



- C. The Recipient pattern should be set to 10.29.1.45/24
- D. The Enable check box should be cleared
- E. The Sender IP/netmask should be set to 10.29.1.45/32

Correct Answer: BDE

[NSE6_FML-6.2 VCE Dumps](#)

[NSE6_FML-6.2 Practice
Test](#)

[NSE6_FML-6.2 Exam
Questions](#)