



NSE6_FNC-8.5^{Q&As}

Fortinet NSE 6 - FortiNAC 8.5

Pass Fortinet NSE6_FNC-8.5 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/nse6_fnc-8-5.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

When you create a user or host profile; which three criteria can you use? (Choose three.)

- A. An applied access policy
- B. Administrative group membership
- C. Location
- D. Host or user group memberships
- E. Host or user attributes

Correct Answer: ACE

Reference: <https://docs.fortinet.com/document/fortinac/8.3.0/administration-guide/15797/user-host-profiles>

QUESTION 2

How are logical networks assigned to endpoints?

- A. Through Layer 3 polling configurations
- B. Through network access policies
- C. Through FortiGate IPv4 policies
- D. Through device profiling rules

Correct Answer: C

Reference: <https://docs.fortinet.com/document/fortigate/6.2.0/cookbook/9819/viewing-and-controllingnetwork-risks-via-topology-view>

QUESTION 3

Which three communication methods are used by the FortiNAC to gather information from, and control, infrastructure devices? (Choose three.)

- A. SNMP
- B. RADIUS
- C. FTP
- D. CLI
- E. SMTP

Correct Answer: ABC



Set up SNMP communication with FortiNAC RADIUS Server that is used by FortiNAC to communicate FortiNAC can be configured via CLI to use HTTP or HTTPS for OS updates instead of FTP.

Reference: <https://docs.fortinet.com/document/fortinac/8.3.0/administration-guide/28966/snmp>
<https://docs.fortinet.com/document/fortinac/8.8.0/administration-guide/938271/configure-radius-settings> https://fortinetwe b.s3.amazonaws.com/docs.fortinet.com/v2/attachments/e7ebbdad-cabf-11ea-8b7d00505692583a/FortiNAC_Deployment_Guide.pdf

QUESTION 4

What would occur if both an unknown (rogue) device and a known (trusted) device simultaneously appeared on a port that is a member of the Forced Registration port group?

- A. The port would be provisioned to the registration network, and both hosts would be isolated.
- B. The port would not be managed, and an event would be generated.
- C. The port would be provisioned for the normal state host, and both hosts would have access to that VLAN.
- D. The port would be administratively shut down.

Correct Answer: C

QUESTION 5

What causes a host's state to change to "at risk"?

- A. The host has been administratively disabled.
- B. The logged on user is not found in the Active Directory.
- C. The host has failed an endpoint compliance policy or admin scan.
- D. The host is not in the Registered Hosts group.

Correct Answer: C

Failure ?Indicates that the host has failed the scan. This option can also be set manually. When the status is set to Failure the host is marked";At Ris"; for the selected scan.

Reference: <https://docs.fortinet.com/document/fortinac/8.3.0/administration-guide/241168/host-health-andscanning>

[NSE6_FNC-8.5 Practice Test](#)

[NSE6_FNC-8.5 Study Guide](#)

[NSE6_FNC-8.5 Exam Questions](#)