



# NSE6\_FVE-5.3<sup>Q&As</sup>

Fortinet NSE 6 - FortiVoice 5.3

## Pass Fortinet NSE6\_FVE-5.3 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.passapply.com/nse6\\_fve-5-3.html](https://www.passapply.com/nse6_fve-5-3.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

When High Availability is configured and the heartbeat link is lost between FortiVoice units, what will happen?

- A. The slave unit takes over as the master unit.
- B. The master unit beeps loudly to indicate an error.
- C. The master unit defaults the configuration.
- D. The slave unit sends calls to voicemail until the master unit has been rebooted.

Correct Answer: A

---

### QUESTION 2

An administrator is configuring a new FortiVoice system and is having trouble with outbound and external inbound calls. The network administrator has verified that Internet connectivity is stable and the FortiVoice system can reach the Internet. Local extension calls are also working without any issue.

Which two configurations are likely causing this issue? (Choose two.)

- A. Office Peers
- B. DID mapping
- C. VoIP Trunk
- D. Inbound call routing

Correct Answer: AB

---

### QUESTION 3

Refer to the exhibit.



The screenshot shows the HA Configuration dialog box. It has a title bar with a maximize button and the text 'HA Configuration'. Below the title bar, there are three fields: 'Mode of operation:' with a dropdown menu set to 'master', 'On failure:' with a dropdown menu set to 'switch off', and 'Shared password:' with a text box containing 'change\_me'. Below these is a section titled 'Advanced options' with a downward-pointing triangle icon. This section contains four items: 'HA base port:' with a text box containing '20000', 'Heartbeat lost threshold:' with a text box containing '30' and the word 'seconds' to its right, 'Remote services as heartbeat:' with an unchecked checkbox, and 'Call recoding sync:' with a checked checkbox. At the bottom of the dialog are two buttons: 'Apply' and 'Cancel'.

In the event of a failover, which statement about the configuration shown in the exhibit is true?

- A. Once the unit has recovered from failure the mode of operation changes to slave.
- B. Once the unit has recovered from failure it goes back to its programmed state of master.
- C. Once the unit has recovered from failure it stays in idle state until it is manually configured as master or slave.
- D. Once the unit has recovered from a failure it shuts down.

Correct Answer: B

#### QUESTION 4

For which purpose can the Pickup Group be used?

- A. To update names in the directory
- B. To email transcripts of voicemail to users
- C. To make calls to any specified phone number
- D. To allow you to log into another extension with your extension number

Correct Answer: D

Reference: [https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/03eb7779-50a711e9-94bf-00505692583a/FVE\\_admin\\_v5.3.0\\_rev9.pdf](https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/03eb7779-50a711e9-94bf-00505692583a/FVE_admin_v5.3.0_rev9.pdf) (189)

#### QUESTION 5



When configuring High Availability, which three configurations are required on both units? (Choose three.)

- A. Configure the system time
- B. Configure the Admin Profile
- C. Configure the Mode of Operation
- D. Configure the On Failure behavior
- E. Configure the Virtual IP address

Correct Answer: CDE

[NSE6\\_FVE-5.3 PDF Dumps](#) [NSE6\\_FVE-5.3 VCE Dumps](#) [NSE6\\_FVE-5.3 Study Guide](#)