



NSE6_FVE-5.3^{Q&As}

Fortinet NSE 6 - FortiVoice 5.3

Pass Fortinet NSE6_FVE-5.3 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/nse6_fve-5-3.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Refer to the exhibit.

Interface
 Edit...

Port	Heartbeat Stat...	Peer IP Address	Virtual IP Action	Virtual IP Address	Port Monitor
port1	Disable	[IPv4] 0.0.0.0 [IPv6] ::	Ignore	[IPv4] 0.0.0.0/0 [IPv6] ::/0	✗
port2	Disable	[IPv4] 0.0.0.0 [IPv6] ::	Ignore	[IPv4] 0.0.0.0/0 [IPv6] ::/0	✓
port3	Disable	[IPv4] 0.0.0.0 [IPv6] ::	Ignore	[IPv4] 0.0.0.0/0 [IPv6] ::/0	✗
port4	Disable	[IPv4] 0.0.0.0 [IPv6] ::	Ignore	[IPv4] 0.0.0.0/0 [IPv6] ::/0	✗

Service Monitor
 Edit...

Name	Remote IP	Port	Timeout	Interval	Retries	Enabled
Remote HTTP	10.0.1.231	80	30	120	3	✓
SIP UDP	10.0.1.231	5060	30	120	3	✓
Interface monitor				120	3	--
Local hard drives				120	3	✗

Given the settings shown in the exhibit, which two statements about the configuration are true? (Choose two.)

- A. A failover will occur if there is no heartbeat for 30 seconds.
- B. Local hard disk drive failure will trigger an HA failover event.
- C. port2 is configured to carry VoIP traffic.
- D. HTTP or SIP UDP on the specified ports can be used to detect master system failure.

Correct Answer: CD

QUESTION 2

What is Auto Provisioning used for?

- A. Connects a FortiFone IP phone to a gateway device
- B. Connects the FortiVoice to a gateway device
- C. Allows the FortiFone IP phone to register with a SIP trunk
- D. Allows FortiFone IP phones to automatically obtain configuration files when discovered on the network



Correct Answer: D

Reference: https://s3.amazonaws.com/fortinetweb/docs.fortinet.com/v2/attachments/92604e64-243b11e9-b20a-f8bc1258b856/fortivoice_auto_provisioning.pdf

QUESTION 3

Refer to the exhibit.

HA Configuration

Mode of operation: master

On failure: switch off

Shared password: change_me

▼ Advanced options

HA base port: 20000

Heartbeat lost threshold: 30 seconds

Remote services as heartbeat: ☐

Call recoding sync: ☒

Apply Cancel

In the event of a failover, which statement about the configuration shown in the exhibit is true?

- A. Once the unit has recovered from failure the mode of operation changes to slave.
- B. Once the unit has recovered from failure it goes back to its programmed state of master.
- C. Once the unit has recovered from failure it stays in idle state until it is manually configured as master or slave.
- D. Once the unit has recovered from a failure it shuts down.

Correct Answer: B

QUESTION 4

An administrator is configuring a new FortiVoice system and is having trouble with outbound and external inbound calls. The network administrator has verified that Internet connectivity is stable and the FortiVoice system can reach the Internet. Local extension calls are also working without any issue.

Which two configurations are likely causing this issue? (Choose two.)

- A. Office Peers



- B. DID mapping
- C. VoIP Trunk
- D. Inbound call routing

Correct Answer: AB

QUESTION 5

With respect to programming extensions, how is Pickup Group used?

- A. To allow extensions to answer calls ringing at another extension
- B. To allow extensions to pick up calls when already on a call
- C. To allow extensions to continuous ring until call is answered or dropped
- D. To group extensions that can only answer calls by picking up the handset

Correct Answer: A

Reference: https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/03eb7779-50a711e9-94bf-00505692583a/FVE_admin_v5.3.0_rev9.pdf (189)

[NSE6_FVE-5.3 VCE Dumps](#) [NSE6_FVE-5.3 Study Guide](#) [NSE6_FVE-5.3 Braindumps](#)