



NSE6_FVE-5.3^{Q&As}

Fortinet NSE 6 - FortiVoice 5.3

Pass Fortinet NSE6_FVE-5.3 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/nse6_fve-5-3.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What does the caller ID modification option do on managed gateways?

- A. Allows the reception and relay of caller ID out on the trunk
- B. Allows the relay of the caller ID from FortiVoice out on the trunk
- C. Allows the reception of caller ID on the trunk and passes it to FortiVoice
- D. Allows the application of caller ID modification rules to the trunk

Correct Answer: B

QUESTION 2

With respect to programming extensions, how is Pickup Group used?

- A. To allow extensions to answer calls ringing at another extension
- B. To allow extensions to pick up calls when already on a call
- C. To allow extensions to continuous ring until call is answered or dropped
- D. To group extensions that can only answer calls by picking up the handset

Correct Answer: A

Reference: https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/03eb7779-50a711e9-94bf-00505692583a/FVE_admin_v5.3.0_rev9.pdf (189)

QUESTION 3

Which statement correctly describes the configuration of a survivable branch system when set to fully managed?

- A. The central system configures the device, excluding network settings.
- B. The central system configures the device, excluding VoIP profile settings.
- C. The central system configures the full configuration for the system.
- D. The central system configures the device, excluding network settings, and administrator settings.

Correct Answer: C

QUESTION 4

Refer to the exhibit.



Interface

Port	Heartbeat Stat...	Peer IP Address	Virtual IP Action	Virtual IP Address	Port Monitor
port1	Disable	[IPv4] 0.0.0.0 [IPv6] ::	Ignore	[IPv4] 0.0.0.0/0 [IPv6] ::/0	✘
port2	Disable	[IPv4] 0.0.0.0 [IPv6] ::	Ignore	[IPv4] 0.0.0.0/0 [IPv6] ::/0	✔
port3	Disable	[IPv4] 0.0.0.0 [IPv6] ::	Ignore	[IPv4] 0.0.0.0/0 [IPv6] ::/0	✘
port4	Disable	[IPv4] 0.0.0.0 [IPv6] ::	Ignore	[IPv4] 0.0.0.0/0 [IPv6] ::/0	✘

Service Monitor

Name	Remote IP	Port	Timeout	Interval	Retries	Enabled
Remote HTTP	10.0.1.231	80	30	120	3	✔
SIP UDP	10.0.1.231	5060	30	120	3	✔
Interface monitor				120	3	--
Local hard drives				120	3	✘

Given the settings shown in the exhibit, which two statements about the configuration are true? (Choose two.)

- A. A failover will occur if there is no heartbeat for 30 seconds.
- B. Local hard disk drive failure will trigger an HA failover event.
- C. port2 is configured to carry VoIP traffic.
- D. HTTP or SIP UDP on the specified ports can be used to detect master system failure.

Correct Answer: CD

QUESTION 5

A large call center has multiple offices around the world that require communication with each and other.

Which feature of FortiVoice allows multiple remote offices to show up as one office under FortiVoice Gateway?

- A. FortiOffice Client
- B. Office HA
- C. External Extensions
- D. Office Peers

Correct Answer: D



Reference: <https://www.fortinet.com/content/dam/fortinet/assets/data-sheets/FortiVoiceEnterprise.pdf> (3)

[NSE6_FVE-5.3 VCE Dumps](#)

[NSE6_FVE-5.3 Exam
Questions](#)

[NSE6_FVE-5.3 Braindumps](#)