



NSE7_EFW-6.0^{Q&As}

Fortinet NSE 7 - Enterprise Firewall 6.0

Pass Fortinet NSE7_EFW-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/nse7_efw-6-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

View the exhibit, which contains the output of a real-time debug, and then answer the question below.

```
FGT # diagnose debug application urlfilter -1
FGT # diagnose debug enable

msg="received a request /tmp/.ipsengine_176_0_0.url.socket, addr_len=37:
d=training.fortinet.com:80, id=289, cat=255, vfname='root', vfid=0, profile='default',
type=0, client=10.0.1.10, url_source=1, url=/"
msg="Cache miss" user="N/A" src=10.0.1.10 sport=54218 dst=13.33.165.116 dport=80
service="http" hostname="training.fortinet.com" url=/" action=9(ftgd-block) wf-
act=3(BLOCK) user="N/A" src=10.0.1.10 sport=54218 dst=13.33.165.116 dport=80
service="http" cat=52 hostname="training.fortinet.com" url=/"
```

Which of the following statements are true regarding this output (Choose two.)

- A. This web request was inspected using the root web filter profile.
- B. The requested URL belongs to category ID 52.
- C. The web request was blocked by FortiGate.
- D. FortiGate found the requested URL in its local cache.

Correct Answer: AC

QUESTION 2

View the exhibit, which contains a partial output of an IKE real-time debug, and then answer the question below.

```
ike 0:H2S_0_0:2: received informational request
ike 0:H2S_0_0:2: processing notify type SHORTCUT_QUERY
ike 0:H2S_0_0: rcv shortcut-query 409121717827462883 e501cb21acedd374/0000000000000000
100.64.3.1 10.1.1.254->10.1.2.254 psk 64 ppk 0 ttl 32 nat 0 ver 2 mode 0
ike 0:H2S_0_1: forward shortcut-query 409121717827462883
e501cb21acedd374/0000000000000000 100.64.3.1 10.1.1.254->10.1.2.254 psk 64 ppk 0 ttl
ver 2 mode 0
...
...
ike 0:H2S_0_1:3: received informational request
ike 0:H2S_0_1:3: processing notify type SHORTCUT_REPLY
ike 0:H2S_0_1: rcv shortcut-reply 409121717827462883 e501cb21acedd374/5478f99c94826e1c
100.64.5.1 to 10.1.1.254 psk 64 ppk 0
ike 0:H2S_0_0: forward shortcut-reply 409121717827462883
e501cb21acedd374/5478f99c94826e1c 100.64.5.1 to 10.1.1.254 psk 64 ppk 0 ttl 31
```

Based on the debug output, which phase-1 setting is enabled in the configuration of this VPN?

- A. auto-discovery-receiver
- B. auto-discovery-forwarder



- C. auto-discovery-sender
- D. auto-discovery-shortcut

Correct Answer: A

QUESTION 3

View the exhibit, which contains the output of diagnose sys session list, and then answer the question below.

```
# diagnose sys session list
session info: proto=6 proto_state=01 duration=73 expire=3597 timeout=3600
flags=00000000 sockflag=00000000 sockport=0 av_idx=0 use=3
origin-shaper=
reply-shaper=
per_ip_shaper=
class_id=0 ha_id=0 policy_dir=0 tunnel=/ vlan_cos=0/255
state=may_dirty synced none app_ntf
statistic(bytes/packets/allow_err): org=822/11/1 reply=9037/15/1 tuples=2
origin->sink: org pre->post, reply pre->post dev=4->2/2->4
gwy=100.64.1.254/10.0.1.10
hook=post dir=org act=snat 10.0.1.10:65464->54.192.15.182:80(100.64.1.1:65464)
hook=pre dir=reply act=dnat 54.192.15.182:80->100.64.1.1:65464(10.0.1.10:65464)
pos/(before,after) 0/(0,0), 0/(0,0)
misc=0 policy_id=1 auth_info=0 chk_client_info=0 vd=0
serial=00000098 tos=ff/ff ips_view=0 app_list=0 app=0
dd_type=0 dd_mode=0
```

If the HA ID for the primary unit is zero (0), which one of the following statements about the output is true?

- A. This session is for HA heartbeat traffic.
- B. This session cannot be synced with the slave unit.
- C. The master unit is processing this traffic.
- D. The inspection of this session has been offloaded to the slave unit.

Correct Answer: C

QUESTION 4

What configuration settings change the behavior for content-inspected traffic while FortiGate is in conserve mode? (Choose two.)

- A. mem-failopen
- B. ips-failopen
- C. utm-failopen
- D. av-failopen



Correct Answer: BD

QUESTION 5

What does the dirty flag mean in a FortiGate session?

- A. The session must be removed from the former primary unit after an HA failover.
- B. Traffic has been identified as from an application that is not allowed.
- C. The next packet must be re-evaluated against the firewall policies.
- D. Traffic has been blocked by the antivirus inspection.

Correct Answer: C

[NSE7_EFW-6.0 PDF
Dumps](#)

[NSE7_EFW-6.0 Practice
Test](#)

[NSE7_EFW-6.0 Exam
Questions](#)