



NSE7_EFW-6.0^{Q&As}

Fortinet NSE 7 - Enterprise Firewall 6.0

Pass Fortinet NSE7_EFW-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/nse7_efw-6-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

View the global IPS configuration, and then answer the question below.

```
config ips global
    set fail-open disable
    set intelligent-mode disable
    set cp-accel-mode advanced
    set engine-count 0
end
```

Which of the following statements is true regarding this configuration? (Choose two.)

- A. IPS will scan every byte in every session.
- B. IPS acceleration is disabled in this FortiGate device's configuration.
- C. New packets requiring IPS inspection will be passed through during conserve mode.
- D. FortiGate will spawn IPS engine instances based on the system load.

Correct Answer: AD

QUESTION 2

Which of the following statements about bulk configuration changes using FortiManager CLI scripts are correct? (Choose two.)

- A. When executed on the All FortiGate in ADOM, changes are automatically installed without creating a new revision history.
- B. When executed on the Remote FortiGate directly, administrators do not have the option to review the changes prior to installation.
- C. When executed on the Device Database, you must use the installation wizard to apply the changes to the managed FortiGate.
- D. When executed on the Policy Package, ADOM database, changes are applied directly to the managed FortiGate.

Correct Answer: BC

QUESTION 3

View the central management configuration shown in the exhibit, and then answer the question below.



```
config system central-management
  set type fortimanager
  set fmg "10.0.1.242"
  config server-list
    edit 1
      set server-type rating
      set server-address 10.0.1.240
    next
    edit 2
      set server-type update
      set server-address 10.0.1.243
    next
    edit 3
      set server-type rating
      set server-address 10.0.1.244
    next
  end
  set include-default-servers enable
end
```

Which server will FortiGate choose for antivirus and IPS updates if 10.0.1.243 is experiencing an outage?

- A. 10.0.1.244
- B. Public FortiGuard servers
- C. 10.0.1.240
- D. 10.0.1.242

Correct Answer: B

QUESTION 4

An administrator has configured two FortiGate devices for an HA cluster. While testing the HA failover, the administrator noticed that some of the switches in the network continue to send traffic to the former primary unit. The administrator decides to enable the setting link-failed-signal to fix the problem. Which one of the following statements about this command is true?

- A. Forces the former primary device to shut down all its non-heartbeat interfaces for one second while the failover occurs.
- B. Sends an ARP packet to all connected devices, indicating that the HA virtual MAC address is reachable through a new master after a failover.
- C. Disables all the non-heartbeat interfaces in all the HA members for two seconds after a failover.
- D. Sends a link failed signal to all connected devices.

Correct Answer: A



QUESTION 5

Which of the following statements are correct regarding application layer test commands? (Choose two.)

- A. Some of them display statistics and configuration information about a feature or process.
- B. They are used to filter real-time debugs.
- C. They display real-time application debugs.
- D. Some of them can be used to restart an application.

Correct Answer: AD

[Latest NSE7_EFW-6.0 Dumps](#)

[NSE7_EFW-6.0 PDF Dumps](#)

[NSE7_EFW-6.0 Study Guide](#)