



NSE7_EFW-6.4^{Q&As}

Fortinet NSE 7 - Enterprise Firewall 6.4

Pass Fortinet NSE7_EFW-6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/nse7_efw-6-4.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

View the exhibit, which contains a partial output of an IKE real-time debug, and then answer the question below.

```
ike 0:H2S_0_1: shortcut 10.200.5.1.:0 10.1.2.254->10.1.1.254
...
ike 0:H2S_0_1:15: sent IKE msg (SHORTCUT-OFFER): 10.200.1.1:500->10.200.5.1:500,
len=164, id=4134df8580d5cdd/ce54851612c7432f:a21f14fe
ike 0: comes 10.200.5.1:500->10.200.1.1:500,ifindex=3....
ike 0: IKEv1 exchange=Informational id=4134df8580d5bcdd/ce54851612c7432f:6266ee8c
len=196

ike 0:H2S_0_1:15: notify msg received: SHORTCUR-QUERY
ike 0:H2S_0_1: rcv shortcut-query 16462343159772385317

ike 0:H2S_0_0:16: senr IKE msg (SHORTCUT-QUERY): 10.200.1.1:500->10.200.3.1:500,
len=196, id=7c6b6cca6700a935/dba061eaf51b89f7:b326df2a
ike 0: comes 10.200.3.1:500->10.200.1.1:500,ifindex=3....
ike 0: IKEv1 exchange=Informational id=7c6b6cca6700a935/dba061eaf51b89f7:1c1dbf39
len=188

ike 0:H2S_0_0:16: notify msg received: SHORTCUT-REPLY
ike 0:H2S_0_0: rcv shortcut-reply 16462343159772385317
f97a7565a441e2aa/667d3e2e3442211e 10.200.3.1 to 10.1.2.254 psk 64
ike 0:H2S_0_0: shortcut-reply route to 10.1.2.254 via H2S_0_1 29
ike 0:H2S: forward shortcut-reply 16462343159772385317
f97a7565a441e2aa/667d3e2e3442211e 10.200.3.1 to 10.1.2.254 psk 64 ttl 31
ike 0:H2S_0_1:15: enc
...
ike 0:H2S_0_1:15: sent IKE msg (SHORTCUT-REPLY): 10.200.1.1:500->10.200.5.1:500,
len=188, id=4134df8580d5bcdd/ce54851612c7432f:70ed6d2c
```

Based on the debug output, which phase-1 setting is enabled in the configuration of this VPN?

- A. auto-discovery-sender
- B. auto-discovery-forwarder
- C. auto-discovery-shortcut
- D. auto-discovery-receiver

Correct Answer: B



QUESTION 2

View the exhibit, which contains the output of a real-time debug, Which statement about this output is true?

```
FGT # diagnose debug application urlfilter -1
FGT # diagnose debug enable

msg="received a request /tmp/.wad512_0_0.url.socket, addr_len=30:
d=training.fortinet.com:443, id=687, cat=255, vfname='root', vfid=0,
profile='default', type=0, client=10.1.10.1, url_source=1, url="/"
action=9(ftgd-allow) wf-act=5(ALLOW) user="N/A" src=10.1.10.1 sport=58334
dst=13.226.142.41 dport=443 service="https" cat=52 url_cat=52 ip_cat=0
hostname="training.fortinet.com" url="/"
```

Which of the following statements is true regarding this output?

- A. The requested URL belongs to category ID 255.
- B. The server hostname is training, fortinet.com.
- C. FortiGate found the requested URL in its local cache.
- D. This web request was inspected using the ftgd-allow web filter profile.

Correct Answer: C

QUESTION 3

Which configuration can be used to reduce the number of BGP sessions in an IBGP network?

- A. Neighbor range
- B. Route reflector
- C. Next-hop-self
- D. Neighbor group

Correct Answer: B

Route reflectors help to reduce the number of IBGP sessions inside an AS. A route reflector forwards the routes learned from one peer to the other peers. If you configure route reflectors, you don't need to create a full mesh IBGP network. All clients in a cluster only talk to route reflector to get sync routing updates. Route reflectors pass the routing updates to other route reflectors and border routers within the AS.

QUESTION 4

Examine the output of the 'get router info bgp summary' command shown in the exhibit; then answer the question



below.

```
# get router info bgp summary
BGP router identifier 0.0.0.117, local AS number 65117
BGP table version is 104
3 BGP AS-PATH entries
0 BGP community entries
```

Neighbor	V	AS	MsgRcvd	MsgSent	TblVer	InQ	OutQ	Up/Down	State/PfxRcd
10.125.0.60	4	65060	1698	1756	103	0	0	03:02:49	1
10.127.0.75	4	65075	2206	2250	102	0	0	02:45:55	1
10.200.3.1	4	65501	101	115	0	0	0	never	Active

Total number of neighbors 3

Which statements are true regarding the output in the exhibit? (Choose two.)

- A. BGP state of the peer 10.125.0.60 is Established.
- B. BGP peer 10.200.3.1 has never been down since the BGP counters were cleared.
- C. Local BGP peer has not received an OpenConfirm from 10.200.3.1.
- D. The local BGP peer has received a total of 3 BGP prefixes.

Correct Answer: AC

QUESTION 5

Which of the following conditions must be met for a static route to be active in the routing table? (Choose three.)

- A. The next-hop IP address is up.
- B. There is no other route, to the same destination, with a higher distance.
- C. The link health monitor (if configured) is up.
- D. The next-hop IP address belongs to one of the outgoing interface subnets.
- E. The outgoing interface is up.

Correct Answer: CDE

A configured static route only goes to routing table from routing database when all the following are met : The outgoing interface is up There is no other matching route with a lower distance The link health monitor (if configured) is successful The next-hop IP address belongs to one of the outgoing interface subnets



[Latest NSE7_EFW-6.4
Dumps](#)

[NSE7_EFW-6.4 VCE
Dumps](#)

[NSE7_EFW-6.4 Practice
Test](#)