



# NSE7\_SDW-6.4<sup>Q&As</sup>

Fortinet NSE 7 - SD-WAN 6.4

## Pass Fortinet NSE7\_SDW-6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.passapply.com/nse7\\_sdw-6-4.html](https://www.passapply.com/nse7_sdw-6-4.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet  
Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Refer to the exhibit.



SD-WAN 6.4.5 Guide Page 76. <https://docs.fortinet.com/document/fortigate/7.2.1/administration-guide/22371/sd-wan-rules-best-quality>

What must you configure to enable ADVPN?

- A. On the hub VPN, only the device needs additional phase one sett
- B. ADVPN should only be enabled on unmanaged FortiGate devices.
- C. Each VPN device has a unique pre-shared key configured separately on phase one
- D. The protected subnets should be set to address object to all (0.0 .0. 0/0).

Correct Answer: D

SD-WAN 6.4.5 Study Guide. pg 210

### QUESTION 2

Which diagnostic command can you use to show interface-specific SLA logs for the last 10 minutes?

- A. diagnose sys sdwan log
- B. diagnose sys sdwan health-check
- C. diagnose sys sdwan intf-sla-log
- D. diagnose sys sdwan sla-log

Correct Answer: D

diagnose sys sdwan intf-sla-log -> shows only bandwidth utilization  
diagnose sys sdwan sla-log -> shows packet-loss, latency, jitter, MOS

### QUESTION 3

Refer to the exhibit.



```
config vpn ipsec phase1-interface
  edit Hub
    set add-route enable
    set net-device disable
    set tunnel-search nexthop
  next
end

diagnose vpn tunnel list name Hub
list ipsec tunnel by names in vd 0
-----
name=Hub ver=1 serial=1 100.64.1.1:0->0.0.0.0:0 dst_mtu=0
bound_if=3 lgwy=static/1 tun=intf/0 mode=dialup/2 encap=none/512 options[0200]=search-
nexthop frag-rfc accept_traffic=1
proxyid_num=0 child_num=2 refcnt=20 ilast=176 olast=176 ad=/0
stat: rxp=22 txp=18 rxb=2992 txb=1752
dpd: mode=on-idle on=0 idle=20000ms retry=3 count=0 seqno=0
natt: mode=none draft=0 interval=0 remote_port=0
run_tally=2
ipv4 route tree:
100.64.3.1 1
100.64.5.1 0
172.16.1.2 1
172.16.1.3 0
```

Which two statements about the IPsec VPN configuration and the status of the IPsec VPN tunnel are true? (Choose two.)

- A. FortiGate creates separate virtual interfaces for each dial-up client.
- B. FortiGate creates a single IPsec virtual interface that is shared by all clients.
- C. FortiGate maps the remote gateway 100.64.3.1 to tunnel index interface 1.
- D. FortiGate does not install IPsec static routes for remote protected networks in the routing table.

Correct Answer: BC

If net-device is disabled, FortiGate creates a single IPSEC virtual interface that is shared by all IPSEC clients connecting to the same dialup VPN. In this case, the tunnel-search setting determines how FortiGate learns the network behind each remote client.

#### QUESTION 4

Refer to the exhibit.



```
NGFW-1 # diagnose sys virtual-wan-link health-check
Health Check(DC_PBX_SLA):
Seq(1 port1): state(dead), packet-loss(75.000%) sla_map=0x0
Seq(2 port2): state(alive), packet-loss(0.000%) latency(50.477), jitter(3.699)
sla_map=0x1

NGFW -1 # diagnose sys sdwan service

Service(1): Address Mode(IPV4) flags=0x0
  Gen(3), TOS(0x0/0x0), Protocol(0: 1->65535), Mode(priority), link-cost-
factor(latency), link-cost-threshold(10), heath-check(DC_PBX_SLA)
  Members:
    1: Seq_num(2 port2), alive, latency: 50.233, selected
    2: Seq_num(1 port1), dead
  Internet Service: Microsoft-Skype_Teams(327781,0,0,0)
  Src address:
    0.0.0.0-255.255.255.255
```

Based on the exhibit, which status description is correct?

- A. Port1 is dead because it does not meet the SLA target.
- B. Port2 is alive because its packet loss is lower than 10%.
- C. The SD-WAN members are monitored by different performance SLAs.
- D. Traffic matching the SD-WAN rule is steered through port2.

Correct Answer: D

## QUESTION 5

Refer to the exhibit.

```
config vpn ipsec phase1-interface
  edit Hub
    set add-route enable
    set net-device disable
    set tunnel-search nexthop
  next
end

diagnose vpn tunnel list name Hub
list ipsec tunnel by names in vd 0
-----
name=Hub ver=1 serial=1 100.64.1.1:0->0.0.0.0:0 dst_mtu=0
bound if=3 lgwy=static/1 tun=intf/0 mode=dialup/2 encap=none/512 options[0200]=search-
nexthop frag-rfc accept_traffic=1
proxyid_num=0 child_num=2 refcnt=20 ilast=176 olast=176 ad=/0
stat: rxp=22 txp=18 rxb=2992 txb=1752
dpd: mode=on-idle on=0 idle=20000ms retry=3 count=0 seqno=0
natt: mode=none draft=0 interval=0 remote_port=0
run_tally=2
ipv4 route tree:
100.64.3.1 1
100.64.5.1 0
172.16.1.2 1
172.16.1.3 0
```



Which two statements about the status of the VPN tunnel are true?