



NSE7_SDW-6.4^{Q&As}

Fortinet NSE 7 - SD-WAN 6.4

Pass Fortinet NSE7_SDW-6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/nse7_sdw-6-4.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

In the default SD-WAN minimum configuration, which two statements are correct when traffic matches the default implicit SD-WAN rule? (Choose two)

- A. Traffic has matched none of the FortiGate policy routes.
- B. Matched traffic failed RPF and was caught by the rule.
- C. The FIB lookup resolved interface was the SD-WAN interface.
- D. An absolute SD-WAN rule was defined and matched traffic.

Correct Answer: AC

QUESTION 2

Which three parameters are available to configure SD-WAN rules? (Choose three.)

- A. Application signatures
- B. Type of physical link connection
- C. URL categories
- D. Source and destination IP address
- E. Internet service database (ISDB) address object

Correct Answer: ADE

QUESTION 3

What is the purpose of a predefined template on the FortiAnalyzer?

- A. It can be edited and modified as required
- B. It specifies the report layout which contains predefined texts, charts, and macros
- C. It specifies report settings which contains time period, device selection, and schedule
- D. It contains predefined data to generate mock reports

Correct Answer: B

FortiAnalyzer 6.4 Study Guide page 197

QUESTION 4



Which two benefits from using forward error correction (FEC) in IPsec VPNs are true? (Choose two.)


- A. FEC transmits the original payload in full to recover the error in transmission.
- B. FEC reduces the stress on the remote device buffer to reconstruct packet loss.
- C. FEC transmits additional packets as redundant data to the remote device.
- D. FEC improves reliability, which overcomes adverse WAN conditions such as noisy links.

Correct Answer: CD

QUESTION 5

Refer to the exhibit.

Multiple IPsec VPNs are formed between two hub-and-spokes groups, and site-to-site between Hub 1 and Hub 2. The administrator configured ADVPN on the dual regions topology.



Which two statements are correct if a user in Toronto sends traffic to London? (Choose two.)

- A. Toronto needs to establish a site-to-site tunnel with Hub 2 to bypass Hub 1.
- B. The first packets from Toronto to London are routed through Hub 1 then to Hub 2.
- C. London generates an IKE information message that contains the Toronto public IP address.
- D. Traffic from Toronto to London triggers the dynamic negotiation of a direct site-to-site VPN.

Correct Answer: BD

SD-WAN_6.4_Study_Guide page 207

[Latest NSE7 SDW-6.4 Dumps](#)

[NSE7 SDW-6.4 PDF Dumps](#)

[NSE7 SDW-6.4 Practice Test](#)