



NSE7_SDW-7.0^{Q&As}

Fortinet NSE 7 - SD-WAN 7.0

Pass Fortinet NSE7_SDW-7.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/nse7_sdw-7-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Refer to the exhibit.

```
# get router info routing-table all
...
B      10.0.2.0/24 [200/0] via 10.201.1.2 [3] (recursive via VPN0 tunnel 100.64.1.1), 00:00:54
      [200/0] via 10.202.1.2 [3] (recursive via VPN1 tunnel 100.64.1.9), 00:00:54
      [200/0] via 10.203.1.1 [3] (recursive via VPN2 tunnel 172.16.1.5), 00:00:54
...

```

The device exchanges routes using IBGP.

Which two statements are correct about the IBGP configuration and routing information on the device? (Choose two.)

- A. Each BGP route is three hops away from the destination.
- B. `ibgp-multipath` is disabled.
- C. `additional-path` is enabled.
- D. You can run the `get router info routing-table database` command to display the additional paths.

Correct Answer: CD

QUESTION 2

Refer to the exhibits.

Link Status

Check interval	<input type="text" value="500"/>	ms
Failures before inactive	<input type="text" value="3"/>	
Restore link after	<input type="text" value="2"/>	check(s)

Actions when Inactive

Update static route



	Interfaces	Gateway	Cost
	virtual-wan-link		
	port2	100.64.2.254	0
	port1	100.64.1.254	0

Destination	Gateway IP	Interface	Status
IPv4 4			
0.0.0.0/0		SD-WAN	Enabled
10.0.20.0/23	100.64.1.254	port1	Enabled
192.168.20.0/24	100.64.2.254	port2	Enabled
172.20.0.0/16	100.64.2.254	port2	Enabled

Exhibit A shows the SD-WAN performance SLA and exhibit B shows the SD-WAN member and the static routes configuration. If port2 is detected dead by FortiGate, which expected behavior is correct?

- A. Port2 becomes alive after one successful probe is detected.
- B. The SD-WAN interface becomes disabled and port1 becomes the WAN interface.
- C. Dead members require manual administrator access to bring them back alive.
- D. Subnets 10.0.20.0/23 and 172.20.0.0/16 are reachable only through port1.

Correct Answer: D

QUESTION 3

Which diagnostic command can you use to show the member utilization statistics measured by performance SLAs for the last 10 minutes?

- A. diagnose sys sdwan intf-sla-log
- B. diagnose sys sdwan health-check
- C. diagnose sys sdwan log
- D. diagnose sys sdwan sla-log

Correct Answer: A



QUESTION 4

Which components make up the secure SD-WAN solution?

- A. Application, antivirus, and URL, and SSL inspection
- B. Datacenter, branch offices, and public cloud
- C. FortiGate, FortiManager, FortiAnalyzer, and FortiDeploy
- D. Telephone, ISDN, and telecom network.

Correct Answer: C

QUESTION 5

Which two statements are correct when traffic matches the implicit SD-WAN rule? (Choose two.)

- A. The `sdwan_service_id` flag in the session information is 0.
- B. All SD-WAN rules have the default setting enabled.
- C. Traffic does not match any of the entries in the policy route table.
- D. Traffic is load balanced using the algorithm set for the `v4-ecmp-mode` setting.

Correct Answer: AC

[NSE7_SDW-7.0 VCE Dumps](#)

[NSE7_SDW-7.0 Exam Questions](#)

[NSE7_SDW-7.0 Braindumps](#)