



NSE7_SDW-7.0^{Q&As}

Fortinet NSE 7 - SD-WAN 7.0

Pass Fortinet NSE7_SDW-7.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/nse7_sdwan-7-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which two tasks about using central VPN management are true? (Choose two.)


- A. You can configure full mesh, star, and dial-up VPN topologies.
- B. FortiManager installs VPN settings on both managed and external gateways.
- C. You configure VPN communities to define common IPsec settings shared by all VPN gateways.
- D. You must enable VPN zones for SD-WAN deployments.

Correct Answer: AC

QUESTION 2

Refer to the exhibit.

Multiple IPsec VPNs are formed between two hub-and-spokes groups, and site-to-site between Hub 1 and Hub 2. The administrator configured ADVPN on the dual regions topology.



Which two statements are correct if a user in Toronto sends traffic to London? (Choose two.)

- A. Toronto needs to establish a site-to-site tunnel with Hub 2 to bypass Hub 1.
- B. The first packets from Toronto to London are routed through Hub 1 then to Hub 2.
- C. London generates an IKE information message that contains the Toronto public IP address.
- D. Traffic from Toronto to London triggers the dynamic negotiation of a direct site-to-site VPN.

Correct Answer: BD

SD-WAN_6.4_Study_Guide page 207

**QUESTION 3**

Refer to the exhibit.

```
branch1_fgt # diagnose sys sdwan service 1

Service(3): Address Mode(IPV4) flags=0x200 use-shortcut-sla
Gen(6), TOS(0x0/0x0), Protocol(0: 1->65535), Mode(manual)
Members(2):
  1: Seq_num(3 T_INET_0_0), alive, selected
  2: Seq_num(4 T_INET_1_0), alive, selected
Src address(1):
  10.0.1.0-10.0.1.255

Dst address(1):
  10.0.0.0-10.255.255.255

branch1_fgt # diagnose sys sdwan member | grep T_INET_
Member(3): interface: T_INET_0_0, flags=0x4 , gateway: 100.64.1.1, priority: 10 1024,
weight: 0
Member(4): interface: T_INET_1_0, flags=0x4 , gateway: 100.64.1.9, priority: 0 1024,
weight: 0

branch1_fgt # get router info routing-table all | grep T_INET_
S      10.0.0.0/8 [1/0] via T_INET_1_0 tunnel 100.64.1.9
```

An administrator is troubleshooting SD-WAN on FortiGate. A device behind branch1_fgt generates traffic to the 10.0.0.0/8 network. The administrator expects the traffic to match SD-WAN rule ID 1 and be routed over T_INET_0_0. However, the traffic is routed over T_INET_1_0.

Based on the output shown in the exhibit, which two reasons can cause the observed behavior? (Choose two.)

- A. The traffic matches a regular policy route configured with T_INET_1_0 as the outgoing device.
- B. T_INET_1_0 has a lower route priority value (higher priority) than T_INET_0_0.
- C. T_INET_0_0 does not have a valid route to the destination.
- D. T_INET_1_0 has a higher member configuration priority than T_INET_0_0.

Correct Answer: AC

QUESTION 4

In a hub-and-spoke topology, what are two advantages of enabling ADVPN on the IPsec overlays? (Choose two.)

- A. It provides the benefits of a full-mesh topology in a hub-and-spoke network.
- B. It provides direct connectivity between spokes by creating shortcuts.
- C. It enables spokes to bypass the hub during shortcut negotiation.
- D. It enables spokes to establish shortcuts to third-party gateways.



Correct Answer: AB

QUESTION 5

Which two statements about SD-WAN central management are true? (Choose two.)

- A. The objects are saved in the ADOM common object database.
- B. It does not support meta fields.
- C. It uses templates to configure SD-WAN on managed devices.
- D. It supports normalized interfaces for SD-WAN member configuration.

Correct Answer: AC

Normalized interfaces are not supported for SD-WAN templates. You can create multiple SD-WAN zones and add interface members to the SD-WAN zones. You must bind the interface members by name to physical interfaces or VPN interfaces. <https://docs.fortinet.com/document/fortigate/7.0.0/sd-wan-new-features/794804/new-sd-wan-template-fmg>

[Latest NSE7_SDW-7.0
Dumps](#)

[NSE7_SDW-7.0 PDF
Dumps](#)

[NSE7_SDW-7.0
Braindumps](#)