



NSE7_SDW-7.0^{Q&As}

Fortinet NSE 7 - SD-WAN 7.0

Pass Fortinet NSE7_SDW-7.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/nse7_sdwan-7-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Refer to the exhibit.

```
config system virtual-wan-link
  config service
    edit 1
      set name "Tagged_Traffic"
      set mode manual
      set route-tag 15
    next
  end
end
```

Which statement about the command route-tag in the SD-WAN rule is true?

- A. It enables the SD-WAN rule to load balance and assign traffic with a route tag
- B. It tags each route and references the tag in the routing table.
- C. It uses route tags for a BGP community and assigns the SD-WAN rules with same tag.
- D. It ensures route tags match the SD-WAN rule based on the rule order

Correct Answer: C

QUESTION 2

Which CLI command do you use to perform real-time troubleshooting for ADVPN negotiation?

- A. diagnose sys virtual-wan-link service
- B. get router info routing-table
- C. diagnose debug application ike
- D. get ipsec tunnel list

Correct Answer: C

QUESTION 3

Refer to the exhibit.



```
config vpn ipsec phase1-interface
  edit "T_INET_0_0"
    set type dynamic
    set interface "port1"
    set keylife 28800
    set peertype any
    set net-device disable
    set proposal aes128-sha256
    set add-route enable
    set psksecret ENC
Zv9n4Urfk0W4jj8vWI+KywxBG4ZDT7jWHKd8YaL8j4+pRpYOx/N7mSgc7VL0BW2ZHQUXWJ6zvFxNKktiPYNtA8aP
i6ly7gDx2lP/OfKexTQQJzgCGRYzLM8eFTOnK7K6AuX0bFDCpBBhEIdf+03CYBMLwkFZmdU6RsT+qvybblVX+Ioy
HK5EXakpmz5RiltELgZ9Gg==
    next
  end
```

Which configuration change is required if the responder FortiGate uses a dynamic routing protocol to exchange routes over IPsec?

- A. type must be set to static.
- B. mode-cfg must be enabled.
- C. exchange-interface-ip must be enabled.
- D. add-route must be disabled.

Correct Answer: D

for using "non ike" routes (for example BGP/static and so on) you must do disable the add-route that inject automatically kernel route based on p2 selectors from the remote site from the SD-WAN_7.2_Study_Guide page 236

QUESTION 4

Which two settings can you configure to speed up routing convergence in BGP? (Choose two.)

- A. update-source
- B. set-route-tag
- C. holdtime-timer
- D. link-down-failover

Correct Answer: CD

QUESTION 5

Refer to the exhibits. Exhibit A



Edit Traffic Shaping Policy

IP Version

IPv4

IPv6

Name

Limit_YouTube

Status

Enable

Disable

Comments

0/255

If Traffic Matches:

Source Internet Service

☐

Source Address

LAN-net

Source User

+

Source User Group

+

Destination Internet Service

☐

Destination Address

all

Schedule

+

Service

ALL

Application

YouTube

Application Category

+

Application Group

+

URL Category

+

Type Of Service

0x00

Type Of Service Mask

0x00

Then:

Action

Apply Shaper

Assign Group

Outgoing Interface

underlay

Shared Shaper

low-priority

Reverse Shaper

low-priority

Per-IP Shaper

+

Differentiated Services

☐

Differentiated Services Reverse

☐

NSE7_SDW-7.0 VCE Dumps | NSE7_SDW-7.0 Study Guide | NSE7_SDW-7.0 Braindumps

4 / 7



Exhibit B



Edit Firewall Policy

ID	1
Name	DIA
ZTNA	Disable Full ZTNA IP/MAC filtering
Incoming Interface	LAN ✕
Outgoing Interface	underlay ✕
Source Internet Service	<input type="checkbox"/>
IPv4 Source Address	LAN-net ✕
IPv6 Source Address	+
Source User	+
Source User Group	+
FSSO Groups	+
Destination Internet Service	<input type="checkbox"/>
IPv4 Destination Address	all ✕
IPv6 Destination Address	+
Service	ALL ✕
Schedule	always ✕
Action	Deny Accept IPSEC
Inspection Mode	Flow-based Proxy-based
Firewall/Network Options	
NAT	<input checked="" type="checkbox"/> NAT NAT46 NAT64
IP Pool Configuration	Use Outgoing Interface Address Use Dynamic IP Pool
Preserve Source Port	<input type="checkbox"/>
Protocol Options	default ✕

Disclaimer Options

Display Disclaimer	<input type="checkbox"/>
Security Profiles	
SSL/SSH Inspection	deep-inspection ✕
Decrypted Traffic Mirror	+
Traffic Shaping Options	
Shared Shaper	+
Reverse Shaper	+
Per-IP Shaper	+
Logging Options	
Log Allowed Traffic	No Log Log Security Events Log All Sessions
	<input type="checkbox"/> Capture Packets
	<input type="checkbox"/> Generate Logs when Session Starts



Exhibit A shows the traffic shaping policy and exhibit B shows the firewall policy.

The administrator wants FortiGate to limit the bandwidth used by YouTube. When testing, the administrator determines that FortiGate does not apply traffic shaping on YouTube traffic.

Based on the policies shown in the exhibits, what configuration change must be made so FortiGate performs traffic shaping on YouTube traffic?

- A. Destination internet service must be enabled on the traffic shaping policy.
- B. Application control must be enabled on the firewall policy.
- C. Web filtering must be enabled on the firewall policy.
- D. Individual SD-WAN members must be selected as the outgoing interface on the traffic shaping policy.

Correct Answer: B

[NSE7_SDW-7.0 VCE
Dumps](#)

[NSE7_SDW-7.0 Study
Guide](#)

[NSE7_SDW-7.0
Braindumps](#)