

# NSE8\_811<sup>Q&As</sup>

Fortinet NSE 8 Written Exam (NSE8\_811)

# Pass Fortinet NSE8\_811 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/nse8\_811.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



# https://www.passapply.com/nse8\_811.html 2024 Latest passapply NSE8\_811 PDF and VCE dumps Download

## **QUESTION 1**

You are asked to add a FortiDDoS to the network to combat detected slow connection attacks such as

Slowloris.

Which prevention mode on FortiDDoS will protect you against this specific type of attack?

A. asymmetric mode

B. aggressive aging mode

C. rate limiting mode

D. blocking mode

Correct Answer: B

## **QUESTION 2**

Refer to the exhibit.



get ha:	rdware npu	np6 port-	list
Chip	XAUI Ports	Max (	Cross-chip
977.1	Speed	l offloadir	ng
np6 0	0		
3 <del>=</del> 3		1.0	
1	port17	1G Yes	
1	port18	1G Yes	
1	port19	1G Yes	
1	port20	1G Yes	
1	port21	1G Yes	
1	port22	1G Yes	
1	port23	1G Yes	
1	port24	1G Yes	
1	port27	1G Yes	
1	port28	1G Yes	
1	port25	1G Yes	
1	port26	1G Yes	
1	port31	1G Yes	
1	port32	1G Yes	
1	port29	1G Yes	
1	port30	1G Yes	
2	portB	10G Yes	
3			
	15000000 15000		* MARAAAAA
np6_1	0		
1	port1	1G	Yes
1	port2	1G	Yes
1	port3	1G	Yes
1	port4	1G	Yes
1	port5	1G	Yes
1	port6	1G	Yes
1	port7	1G	Yes
1	port8	1G	Yes
1	port11	1G	Yes
1	port12	1G	Yes
1	port9	1G	Yes
1 1	port10	1G	Yes
1	port15	1G	Yes
1	port16	1G	Yes
1	port13	1G	Yes
1	port14	1G	Yes
2	portA	10G	Yes
3			

# https://www.passapply.com/nse8\_811.html

2024 Latest passapply NSE8\_811 PDF and VCE dumps Download

You are trying to configure Link-Aggregation Group (LAG), but ports A and B do not appear on the list of member options.


Referring to the exhibit, which statement is correct in this situation?

- A. The FortiGate interfaces are defective and require replacement.
- B. The FortiGate model does not have an Integrated Switch Fabric (ISF).
- C. The FortiGate model being used does not support LAG.
- D. The FortiGate SFP+ slot does not have the correct module.

Correct Answer: B

#### **QUESTION 3**

Refer to the exhibit.



You need to apply the security features listed below to the network shown in the exhibit.

High grade DDoS protection Web security and load balancing for Server 1 and Server 2 Solution must be PCI DSS compliant Enhanced security to DNS 1 and DNS 2

What are three solutions for this scenario? (Choose three.)

- A. FortiDDoS between FG1 and FG2 and the Internet
- B. FortiADC for VDOM-A

# https://www.passapply.com/nse8\_811.html

2024 Latest passapply NSE8\_811 PDF and VCE dumps Download

- C. FortiWeb for VDOM-A
- D. FortiADC for VDOM-B
- E. FortiDDoS between FG1 and FG2 and VDOMs

Correct Answer: ACD

#### **QUESTION 4**

You have configured an HA cluster with two FortiGate devices. You want to make sure that you are able to manage the individual cluster members directly using port3.

```
config system ha

set mode a-a

set group-id 1

set group-name main

set hb_dev port2 100

set session-pickup enable
end
```

Referring to the configuration shown, in which two ways can you accomplish this task? (Choose two.)

- A. Create a management VDOM and disable the HA synchronization for this VDOM, assign port3 to this VDOM, then configure specific IPs for port3 on both cluster members.
- B. Configure port3 to be a dedicated HA management interface; then configure specific IPs for port3 on both cluster members.
- C. Allow administrative access in the HA heartbeat interfaces.
- D. Disable the sync feature on port3; then configure specific IPs for port3 on both cluster members.

Correct Answer: AB

#### **QUESTION 5**

Refer to the exhibit.

# https://www.passapply.com/nse8\_811.html 2024 Latest passapply NSE8\_811 PDF and VCE dumps Download

#	<b>▼</b> Date/Time	Device ID	Action	Source
1	17:44:38	FG3H0E391790	O DNS error	£3192.168.206.10
2	17:44:38	FG3H0E391790	O DNS error	<b>1192.168.206.10</b>
3	17:44:12	FG3H0E391790	O DNS error	£3192.168.206.11
4	17:44:11	FG3H0E391790	O DNS error	£192.168.206.11
5	17:39:08	FG3H0E391790	O DNS error	£3192.168.206.10
6	17:39:05	FG3H0E391790	O DNS error	£3192.168.206.10
7	17:39:03	FG3H0E391790	O DNS error	192.168.202.117
8	17:38:59	FG3H0E391790	O DNS error	192.168.202.117
9	17:38:43	FG3H0E391790	O DNS error	£3192.168.206.11
10	17:38:43	FG3H0E391790	O DNS error	£192.168.206.11
11	17:35:52	FG3H0E391790	O DNS error	192.168.202.23
12	17:34:07	FG3H0E391790	O DNS error	£3192.168.206.10
13	17:34:07	FG3H0E391790	O DNS error	<b>1192.168.206.10</b>

You have deployed several perimeter FortiGate devices with internal segmentation FortiGate devices behind them. All FortiGate devices are logging to FortiAnalyzer. When you search the logs in FortiAnalyzer for denied traffic, you see numerous log messages, as shown in the exhibit, on your perimeter FortiGate device only.

Which two actions will reduce the number of these log messages? (Choose two.)

- A. Disable DNS events logging from FortiGate in the config log fortianalyzer filter section.
- B. Apply an application control profile to the perimeter FortiGate devices that does not inspect DNS traffic to the outbound firewall policy.
- C. Remove DNS signatures from the IPS profile applied to the outbound firewall policy.
- D. Configure the internal FortiGate devices to communicate to FortiGuard using port 8888.

Correct Answer: AD

Latest NSE8 811 Dumps

NSE8 811 Practice Test

NSE8 811 Braindumps