



OMG-OCUP2-INT200^{Q&As}

OMG Certified UML Professional 2 (OCUP 2) - Intermediate Level

Pass OMG OMG-OCUP2-INT200 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/omg-ocup2-int200.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by OMG
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is the difference between a tag definition and a tagged value?

- A. The properties of metaclasses are sometimes referred to as tag definitions. When a metaclass is applied to a model element, the values of the properties may be referred to as tagged values.
- B. The properties of stereotypes are sometimes referred to as tagged values. When a stereotype is applied to a model element, the values of the properties may be referred to as tag definitions.
- C. The properties of stereotypes are sometimes referred to as tag definitions. When a stereotype is applied to a model element, the values of the properties may be referred to as tagged values.
- D. They are synonyms.

Correct Answer: C

QUESTION 2

What interface restrictions does a port have?

- A. equal numbers of provided interfaces and required interfaces
- B. multiple provided interfaces and multiple required interfaces
- C. exactly one required interface and exactly one provided interface
- D. multiple required interfaces or multiple provided interfaces
- E. exactly one provided interface or exactly one required interface

Correct Answer: B

QUESTION 3

What is NOT true about a roles and role bindings?

- A. A role binding is an association.
- B. A role binding maps a connectable element to a role in a collaboration occurrence.
- C. The same object may play roles in multiple collaborations.
- D. A role types by an interface specifies a set of features required by a participant in a collaboration.
- E. The same connectable element may be bound to multiple roles in a single collaboration occurrence.

Correct Answer: A



QUESTION 4


In UML, what kind of behaviors are state machines used to describe?

- A. software based
- B. continuous
- C. continuous or discrete
- D. discrete

Correct Answer: D

QUESTION 5

In the exhibit, what represents an interaction occurrence?



A. A



B. B

C. C

D. D

Correct Answer: C

[Latest OMG-OCUP2-INT200 Dumps](#)

[OMG-OCUP2-INT200 PDF Dumps](#)

[OMG-OCUP2-INT200 Study Guide](#)