



# OMNISTUDIO-DEVELOPER<sup>Q&As</sup>

Salesforce Certified OmniStudio Developer

## Pass Salesforce OMNISTUDIO-DEVELOPER Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/omnistudio-developer.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce  
Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Refer to the exhibit below. In this Integration Procedure structure, what Send JSON Path would you use to send the output of the ActionZ element to a Response Action?




- A. BlockX.BlockYActionZ
- B. ActionZ:BlockY:BlockX
- C. ActionZ:BlockY:BlockX
- D. BlockX:BlockY:ActionAZ

Correct Answer: D

### QUESTION 2

Refer to the exhibit below.



What is the reason that the fields fail to display the fetched data?

- A. Lookup Mode is selected in the properties of the Type Ahead Block.
- B. FirstName, LastName, and BirthDate are not placed inside the Type Ahead Block.
- C. The typeHead key is not in the correct format.
- D. Use Data JSON is Not selected in the properties of the Type Ahead Block.

Correct Answer: B

### QUESTION 3

A developer is building an OmniScript and needs to retrieve data from Salesforce and from an on-premises billing database.

Which two OmniScript elements could retrieve this data?

Choose 2 answers


- A. Navigate Action
- B. DataRaptor Extract Action
- C. HTTP Action
- D. Response Action

Correct Answer: B



#### QUESTION 4

Refer to the exhibit below. What JSON from the DRGetContactDetails action would display all six values correctly in the shown? BlkCases is a Repeat Block, and the names of the elements are the same as the label names without spaces.







A. 

```
{
  "BizCases": [{
    "CaseSubject": "Cannot track our order.",
    "CaseNumber": "00001002"
  }, {
    "CaseSubject": "Billing status",
    "CaseNumber": "00001004"
  }],
  "ContactPhone": "(212) 189-8979",
  "ContactName": "Leanne Tomlin"
}
```

B. 

```
{
  "CaseSubject": "Cannot track our order.",
  "CaseNumber": "00001002",
  "CaseSubject": "Billing status",
  "CaseNumber": "00001004",
  "ContactPhone": "(212) 189-8979",
  "ContactName": "Leanne Tomlin"
}
```

C. 

```
{
  "Cases": [{
    "CaseSubject": "Cannot track our order.",
    "CaseNumber": "00001002"
  }, {
    "CaseSubject": "Billing status",
    "CaseNumber": "00001004"
  }],
  "ContactPhone": "(212) 189-8979",
  "ContactName": "Leanne Tomlin"
}
```

D. 

```
{
  "BizCases": [{
    "Subject": "Cannot track our order.",
    "Number": "00001002"
  }, {
    "Subject": "Billing status",
    "Number": "00001004"
  }],
  "ContactPhone": "(212) 189-8979",
  "ContactName": "Leanne Tomlin"
}
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D



Correct Answer: A

---

#### QUESTION 5

A developer is building an OmniScript and needs to save to Salesforce and to an AWS Order Management system.

Which OmniScript element could save all of this data?

- A. DataRaptor Post Action
- B. HTTP Action
- C. Integration Procedure Action
- D. DataRaptor Load Action

Correct Answer: C

[Latest OMNISTUDIO-DEVELOPER Dumps](#)

[OMNISTUDIO-DEVELOPER Practice Test](#)

[OMNISTUDIO-DEVELOPER Braindumps](#)