



OMNISTUDIO-DEVELOPER^{Q&As}

Salesforce Certified OmniStudio Developer

Pass Salesforce OMNISTUDIO-DEVELOPER Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/omnistudio-developer.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1


A customer sets up to LWC Omniscripts, one embedded into another. Account is set in a Set Values element in the parent Omniscript.

The AccountId set in the parent Omniscript is used to another Set Values element ContextAccountId in the embedded OmniScript. The embedded Omniscript is activated.

While previewing the OmniScript flow from the parent, it is found that Account is set correctly in the parent OmniScript. However, ContextAccountId in the embedded OmniScript is not set with the AccountId from parent Omniscript. On

previewing the embedded OmniScript individually, it is found that ContextAccountId is set correctly.

What is the reason for this? Refer to the exhibit below.



- A. Both parent and embedded OmniScripts have the same element name for the Set values element.
- B. A developer failed to include a Navigation Element to pass data from the parent OmniScript.
- C. The LWC PubSub Message flag in the Set Values action of the parent has not been set.
- D. The flag passDataJSON in the parent OmniScript in not configured correctly.

Correct Answer: C

QUESTION 2

Refer to the exhibit.



The screenshot shows a form titled "Step 1" with the following structure:

- Block1**
 - Text1 (text input)
 - Telephone1 (text input)
- Block2**
 - Checkbox1 (checkbox)
- Block3**
 - Multi-select1
 - Value A (checkbox)
 - Value B (checkbox)

What JSON code correct represent the step in the OmniScript Structure panel shown? A)

```
{
  "BLOCK1": {
    "Text1": "Text "
  },
  "Block2": {
    "Telephone1": "1234567890 ",
    "Checkbox1": false,
    "Block3": {
      "Multi - select1": "Value A;Value B "
    }
  }
}
```

B)



```
"Step1": {  
  "Block1": {  
    "Text1": "Text",  
    "Block2": {  
      "Telephone1": "1234567890",  
      "Checkbox1": false  
    }  
  },  
  "Block3": {  
    "Multi-select1": "Value A;Value B"  
  }  
}
```

C)

```
"Step1": {  
  "Block1": {  
    "Text1": "Text",  
    "Telephone1": "1234567890",  
    "Block2": {  
      "Checkbox1": false  
    }  
  },  
  "Block3": {  
    "Multi-select1": "Value A;Value B"  
  }  
}
```

D)

```
"Step1": {  
  "Block1": {  
    "Text1": "Text",  
    "Telephone1": "1234567890"  
  }  
}
```

- A. Option A
- B. Option B
- C. Option C



D. Option D

Correct Answer: C

QUESTION 3

A developer is configuring an integration Procedure Action in an OmniScript. The Omniscript needs a JSON response from the Integration Procedure but does not need to wait for the response for the user to proceed.

Which feature should the developer enable?

- A. Toast Completion
- B. Use Future
- C. Invoke Mode Fire and Forget
- D. Invoke Mode Non-Blocking

Correct Answer: D

QUESTION 4

Which calculation procedure version in the list would execute on 2/15/2020 at 12:00 PM?

The screenshot shows a table titled "Vlocity Calculation Procedure Versions" with 4 items. The table has columns for Calculation Procedure Version Name, Version Number, Enabled, Start Date Time, End Date Time, and Priority. The data is as follows:

Calculation Procedure Version Name	Version Number	Enabled	Start Date Time	End Date Time	Priority
bundlePriceQuote v1	1	✓	1/1/2020, 12:00 AM	4/1/2020, 12:00 AM	1
bundlePriceQuote v2	2	✓	2/1/2020, 12:00 AM	3/1/2020, 12:00 AM	2
bundlePriceQuote v3	3	✓	3/1/2020, 12:00 AM	4/1/2020, 12:00 AM	4
bundlePriceQuote v4	4	✓	1/1/2020, 12:00 AM	3/1/2020, 12:00 AM	3

- A. Version Number 1
- B. Version Number 4
- C. Version Number 2
- D. Version Number 3

Correct Answer: C

QUESTION 5

A developer needs to configure a DataRaptor to retrieve data from a single object. The structure of the output data does



not need to be changed.

Following best practices, which type of DataRaptor should the developer use?

- A. DataRaptor Transform
- B. DataRaptor Extract
- C. DataRaptor Load
- D. DataRaptor Turbo Extract

Correct Answer: D

[OMNISTUDIO-
DEVELOPER VCE Dumps](#)

[OMNISTUDIO-
DEVELOPER Study Guide](#)

[OMNISTUDIO-
DEVELOPER Exam
Questions](#)