



PAS-C01^{Q&As}

AWS Certified: SAP on AWS - Specialty exam

Pass Amazon PAS-C01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/pas-c01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Amazon
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A company uses an SAP application that runs batch jobs that are performance sensitive. The batch jobs can be restarted safely. The SAP application has spot application servers. The SAP application functions reliably as long as the SAP application availability remains greater than 60%. The company wants to migrate the SAP application to AWS. The company is using a cluster with two Availability Zones.

How should the company distribute the SAP application servers to maintain system reliability?

- A. Distribute the SAP application servers equally across three partition placement groups
- B. Distribute the SAP application servers equally across three Availability Zones
- C. Distribute the SAP application servers equally across two Availability Zones
- D. Create an Amazon EC2 Auto Scaling group across two Availability Zones. Set a minimum capacity value of 4.

Correct Answer: B

QUESTION 2

A company is implementing SAP HANA on AWS. According to the company's security policy, SAP backups must be encrypted. Only authorized team members can have the ability to decrypt the SAP backups. What is the MOST operationally efficient solution that meets these requirements?

- A. Configure AWS Backup Agent for SAP HANA to create SAP backups in an Amazon S3 bucket. After a backup is created, encrypt the backup by using client-side encryption. Share the encryption key with authorized team members only.
- B. Configure AWS Backup Agent for SAP HANA to use AWS Key Management Service (AWS KMS) for SAP backups. Create a key policy to grant decryption permission to authorized team members only.
- C. Configure AWS Storage Gateway to transfer SAP backups from a file system to an Amazon S3 bucket. Use an S3 bucket policy to grant decryption permission to authorized team members only.
- D. Configure AWS Backup Agent for SAP HANA to use AWS Key Management Service (AWS KMS) for SAP backups. Grant object ACL decryption permission to authorized team members only.

Correct Answer: C

QUESTION 3

A financial services company is implementing SAP core banking on AWS. The company must not allow any system information to traverse the public internet. The company needs to implement secure monitoring of its SAP ERP Central Component (SAP ECC) system to check for performance issues and faults in its application. The solution must maximize security and must be supported by SAP and AWS.

How should the company integrate AWS metrics with its SAP system to meet these requirements?

- A. Set up SAP Solution Manager to call Amazon CloudWatch and Amazon EC2 endpoints with REST-based calls to populate SAPOSCOL details. Use SAP transaction ST06N to monitor CPU and memory utilization on each EC2.



instance

- B. Install the AWS Data Provider for SAP on the Amazon EC2 instances that host SAP Allow access to the Amazon CloudWatch and EC2 endpoints through a NAT gateway Create an IAM policy that allows the ec2 DescribeInstances action the cloudwatch.GetMetricStatistics action and the ec2 DescribeVolumes action for all EC2 resources.
- C. Install the AWS Data Provider for SAP on the Amazon EC2 instances that host SAP Create VPC endpoints for Amazon CloudWatch and Amazon EC2 Allow access through these endpoints Create an IAM policy that allows the ec2 DescribeInstances action the cloudwatch GetMetricStatistics action and the ec2 DescribeVolumes action for all EC2 resources.
- D. install the AWS data Provider for SAP on the Amazon EC2 instances that host SAP Create VPC endpoints for Amazon CloudWatch and Amazon EC2 Allow access through these endpoints Create an IAM policy that allows all actions for all EC2 resources.

Correct Answer: A

QUESTION 4

A company is running an SAP HANA database on AWS The company is running AWS Backint Agent for SAP HANA(AWS Backint agent) on an Amazon EC2 instance AWS Back agent is configured to back up to an Amazon S3 bucket The backups are failing with an AccessDenied error in the AWS Backint agent log file.

What should an SAP basis administrator do to resolve this error?

- A. Assign execute permissions at the operating system level for the AWS Backint agent binary and for AWS Backint agent
- B. Assign an IAM role to an EC2 instance Attach a policy to the IAM role to grant access to the target S3 bucket
- C. Assign the correct Region ID for the S3BucketAwsRegion parameter in AWS Backint agent for the SAP HANA configuration file
- D. Assign the value for the Enable Tagging parameter in AWS Backint agent for the SAP HANA configuration file

Correct Answer: D

QUESTION 5

An SAP basis architect is configuring high availability for a critical SAP system on AWS. The SAP basis architect is using an overlay IP address to route traffic to the subnets across multiple Availability Zones within an AWS Region for the system's SAP HANA database.

What should the SAP basis architect do to route the traffic to the Amazon EC2 instance of the active SAP HANA database?

- A. Edit the route in the route table of the VPC that includes the EC2 instance that runs SAP HANA Specify the overlay IP address as the destination Specify the private IP address of the EC2 instance as the target
- B. Edit the inbound and outbound rules in the security group of the EC2 instance that runs SAP HANA Allow traffic for SAP HANA specific ports from the overlay IP address
- C. Edit the network ACL of the subnet that includes the EC2 instance that runs SAP HANA Allow traffic for SAP HANA



specific ports from the overlay IP address

D. Edit the route in the route table of the VPC that includes the EC2 instance that runs SAP HANA Specify the overlay IP address as the destination Specify the elastic network interface of the EC2 instance as the target

Correct Answer: D

[Latest PAS-C01 Dumps](#)

[PAS-C01 PDF Dumps](#)

[PAS-C01 Exam Questions](#)