



# PCCET<sup>Q&As</sup>

Palo Alto Networks Certified Cybersecurity Entry-level Technician

## Pass Palo Alto Networks PCCET Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/pccet.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Palo Alto Networks Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which subnet does the host 192.168.19.36/27 belong?

- A. 192.168.19.0
- B. 192.168.19.16
- C. 192.168.19.64
- D. 192.168.19.32

Correct Answer: D

---

### QUESTION 2

Which type of Wi-Fi attack depends on the victim initiating the connection?

- A. Evil twin
- B. Jasager
- C. Parager
- D. Mirai

Correct Answer: A

Perhaps the easiest way for an attacker to find a victim to exploit is to set up a wireless access point that serves as a bridge to a real network. An attacker can inevitably bait a few victims with "free Wi-Fi access." The main problem with this approach is that it requires a potential victim to stumble on the access point and connect. The attacker can't easily target a specific victim, because the attack depends on the victim initiating the connection.

<https://www.paloaltonetworks.com/blog/2013/11/wireless-man-middle/>

---

### QUESTION 3

In an IDS/IPS, which type of alarm occurs when legitimate traffic is improperly identified as malicious traffic?

- A. False-positive
- B. True-negative
- C. False-negative
- D. True-positive

Correct Answer: A

In anti-malware, a false positive incorrectly identifies a legitimate file or application as malware. A false negative incorrectly identifies malware as a legitimate file or application. In intrusion detection, a false positive incorrectly identifies legitimate traffic as a threat, and a false negative incorrectly identifies a threat as legitimate traffic.

**QUESTION 4**

What is required for a SIEM to operate correctly to ensure a translated flow from the system of interest to the SIEM data lake?


- A. connectors and interfaces
- B. infrastructure and containers
- C. containers and developers
- D. data center and UPS

Correct Answer: A

---

**QUESTION 5**

In the attached network diagram, which device is the switch?



- A. A



B. B

C. C

D. D

Correct Answer: D

[PCCET VCE Dumps](#)

[PCCET Practice Test](#)

[PCCET Exam Questions](#)