



# PCCSE<sup>Q&As</sup>

Prisma Certified Cloud Security Engineer

## Pass Palo Alto Networks PCCSE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/pccse.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Palo Alto Networks Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which IAM Azure RQL query would correctly generate an output to view users who have sufficient permissions to create security groups within Azure AD and create applications?

- A. config where api.name = `azure-active-directory-authorization-policy` AND json.rule = defaultUserRolePermissions.allowedToCreateSecurityGroups is true and defaultUserRolePermissions.allowedToCreateApps is true
- B. config from cloud.resource where api.name = `azure-active-directory-authorization-policy` AND json.rule = defaultUserRolePermissions exists
- C. config from network where api.name = `azure-active-directory-authorization-policy` AND json.rule = defaultUserRolePermissions.allowedToCreateSecurityGroups is false and defaultUserRolePermissions.allowedToCreateApps is true
- D. config from cloud.resource where api.name = `azure-active-directory-authorization-policy` AND json.rule = defaultUserRolePermissions.allowedToCreateSecurityGroups is true and defaultUserRolePermissions.allowedToCreateApps is true

Correct Answer: D

---

### QUESTION 2

Per security requirements, an administrator needs to provide a list of people who are receiving e-mails for Prisma Cloud alerts. Where can the administrator locate this list of e-mail recipients?

- A. Target section within an Alert Rule.
- B. Notification Template section within Alerts.
- C. Users section within Settings.
- D. Set Alert Notification section within an Alert Rule.

Correct Answer: D

<https://docs.paloaltonetworks.com/prisma/prisma-cloud/prisma-cloud-admin/manage-prisma-cloud-alerts/send-prisma-cloud-alert-notifications-to-third-party-tools.html>

---

### QUESTION 3

Which container image scan is constructed correctly?

- A. twistcli images scan --docker-address https://us-west1.cloud.twistlock.com/us-3-123456789 myimage/latest
- B. twistcli images scan --address https://us-west1.cloud.twistlock.com/us-3-123456789 myimage/latest
- C. twistcli images scan --address https://us-west1.cloud.twistlock.com/us-3-123456789 --container myimage/latest



D. `twistcli images scan --address https://us-west1.cloud.twistlock.com/us-3-123456789 --container myimage/latest --details`

Correct Answer: C

Reference: [https://docs.paloaltonetworks.com/prisma/prisma-cloud/prisma-cloud-admin-compute/tools/twistcli\\_scan\\_images](https://docs.paloaltonetworks.com/prisma/prisma-cloud/prisma-cloud-admin-compute/tools/twistcli_scan_images)

#### QUESTION 4

What is an example of an outbound Notification within Prisma Cloud?

- A. AWS Inspector
- B. Qualys
- C. Tenable
- D. PagerDuty

Correct Answer: D

#### QUESTION 5

Given the following RQL:

```
event from cloud.audit_logs where operation IN ('vl.compute.urlMaps.update', 'vl.compute.urlMaps.delete', 'vl.compute.backendServices.delete', 'vl.compute.backendBuckets.delete', 'vl.compute.backendServices.update', 'vl.compute.globalForwardingRules.delete', 'vl.compute.urlMaps.delete', 'vl.compute.targetHttpsProxies.delete', 'vl.compute.targetHttpsProxies.setSslPolicy', 'vl.compute.targetHttpsProxies.setSslCertificates')
```

Which audit event snippet is identified by the RQL?

- A. `"eventTime": "2021-05-19T14:34:08Z", "eventSource": "iam.amazonaws.com", "eventName": "AttachRolePolicy", "awsRegion": "us-east-1"`
- B. `"payload": { > "requestMetadata": { "callerSuppliedUserAgent": "Terraform/0.14.0 (+https://www.terraform.io) Terraform-Plugin-SDK/2.1.0 terraform-provider-google/3.50.0,gzip(gfe)", "callerIp": "34.235.226.252" }, "request": { "@type": "type.googleapis.com/compute.backendServices.delete"`
- C. `"resource": "projects/_/buckets/gvtest110221", "permission": "storage.buckets.setIamPolicy", "resourceAttributes": {}, "granted": true`
- D. `"userIdentity": { "type": "Root", "principalId": "6849955112A19", "arn": "arn:aws:iam::6849955112A9:root", "accountId": "689995514A219", "accessKeyId": ""`

A. Option A

B. Option B



C. Option C

D. Option D

Correct Answer: B

"backendServices.delete"

[Latest PCCSE Dumps](#)

[PCCSE VCE Dumps](#)

[PCCSE Study Guide](#)