



PCSAE^{Q&As}

Palo Alto Networks Certified Security Automation Engineer

Pass Palo Alto Networks PCSAE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/pcsae.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Palo Alto Networks Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which three options can be defined in the layout settings? (Choose three.)

- A. Set of fields to present
- B. Permission to view the tab based on `Users\\`
- C. Permission to view the tab based on `Roles\\`
- D. Delete built-in tabs including the war room
- E. Dynamic sections

Correct Answer: ACE

Reference: <https://docs.paloaltonetworks.com/cortex/cortex-xsoar/6-1/cortex-xsoar-admin/incidents/customize-incident-view-layouts/customize-incident-layouts.html>

QUESTION 2

What is the difference between labels and fields?

- A. Fields can be used in playbooks and labels cannot
- B. Fields are indexed in the database and labels are not
- C. Labels can be used in queries and fields cannot
- D. Labels are indexed in the database and fields are not

Correct Answer: C

QUESTION 3

DRAG DROP

Match the operations with the appropriate context.

Select and Place:



Answer Area

Run a Set command manually from the CLI to save data	Drag answer here	Global Context
Save information from third party systems during fetch incidents	Drag answer here	Private Context
Run a command multiple times and save the output to a different key each time	Drag answer here	Extended Context
Run the Generic Polling playbook for checking the status of a detonation process	Drag answer here	Integration Context

Correct Answer:

Answer Area

Run a Set command manually from the CLI to save data	Private Context	
Save information from third party systems during fetch incidents	Global Context	
Run a command multiple times and save the output to a different key each time	Extended Context	
Run the Generic Polling playbook for checking the status of a detonation process	Integration Context	

QUESTION 4

An automation returned an output called: csvReport.

What filter would be used to check if the automation returned results?



- A. Contains/Includes
- B. Equals/Matches
- C. In/In list
- D. Is defined/Exist

Correct Answer: D

Explanation: This filter will be used to check if the automation returned results, as it checks to see if the output variable called csvReport is defined and exists. If it is, then the automation returned results.

QUESTION 5

Which field type should be used to hold more than 60,000 characters of unformatted text?

- A. Short Text
- B. HTML
- C. Long Text
- D. Markdown

Correct Answer: C

[Latest PCSAE Dumps](#)

[PCSAE PDF Dumps](#)

[PCSAE Braindumps](#)