



PDI^{Q&As}

Salesforce Certification for Platform Developer I

Pass Salesforce PDI Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/pdi.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What are two features of Heroku Connect? Choose 2 answers

- A. Displaying data from an external data store via External Objects.
- B. Real Time Sync between Salesforce and Postgres
- C. Bidirectional syncs, allowing data to be written into Salesforce
- D. Near Real Time Sync between Heroku Postgres and Salesforce

Correct Answer: CD

QUESTION 2

How should a developer prevent a recursive trigger?

- A. Use a "one trigger per object" pattern.
- B. Use a static Boolean variable.
- C. Use a trigger handler.
- D. Use a private Boolean variable.

Correct Answer: D

QUESTION 3

Which two SOSL searches will returns records matching search criteria contained in any of the searchable texts fields on an object? Choose 2 answers

- A. [FIND \\Acme*\\ RETURNING Account,Opportunity];
- B. [FIND \\Acme*\\ IN ANY FIELDS RETURNING Account,Opportunity];
- C. [FIND \\Acme*\\ IN TEXT FIELDS RETURNING Account,Opportunity];
- D. [FIND \\Acme*\\ IN ALL FIELDS RETURNING Account,Opportunity];

Correct Answer: AD

QUESTION 4

Which two examples above use the system. debug statements to correctly display the results from the SOQL aggregate queries? Choose 2 answers



```
Example 1:
AggregateResult[] groupedResults = [SELECT CampaignId, AVG(Amount) FROM Opportunity GROUP BY
CampaignId];
for (AggregateResult ar : groupedResults)
{
    System.debug('Campaign ID' + ar.get('CampaignId'));
    System.debug('Average amount' + ar.get('expr0'));
}

Example 2:
AggregateResult[] groupedResults = [SELECT CampaignId, AVG(Amount) theAverage FROM Opportunity
GROUP BY CampaignId];
for (AggregateResult ar : groupedResults)
{
    System.debug('Campaign ID' + ar.get('CampaignId'));
    System.debug('Average amount' + ar.get('theAverage'));
}

Example 3:
AggregateResult[] groupedResults = [SELECT CampaignId, AVG(Amount) FROM Opportunity GROUP BY
CampaignId];
for (AggregateResult ar : groupedResults)
{
    System.debug('Campaign ID' + ar.get('CampaignId'));
    System.debug('Average amount' + ar.get.AVG());
}

Example 4:
AggregateResult[] groupedResults = [SELECT CampaignId, AVG(Amount) theAverage FROM Opportunity
GROUP BY CampaignId];
for (AggregateResult ar : groupedResults)
{
    System.debug('Campaign ID' + ar.get('CampaignId'));
    System.debug('Average amount' + ar.theAverage);
}
```

- A. Example 1
- B. Example 2
- C. Example 3
- D. Example 4

Correct Answer: BC

QUESTION 5



Which option would a developer use to display the Accounts created in the current week and the number of related Contacts using a debug statement in Apex?

- A. `For(Account acc: [SELECT Id, Name, (SELECT Id, Name FROM Contacts) FROM Account WHERE CreatedDate = THIS_WEEK]) { List cons = acc.Contacts; System.debug(acc.Name + ` has \ ` + cons.size() + `Contacts\`); }`
- B. `For(Account acc: [SELECT Id, Name, (SELECT Id, Name FROM Contacts) FROM Account WHERE CreatedDate = CURRENT_WEEK]){ List cons = acc.Contacts; System.debug(acc.Name + ` has ` + cons.size() + `Contacts\`); }`
- C. `For(Account acc:[SELECT Id, Name, Account.Contacts FROM Account WHERE CreatedDate = CURRENT_WEEK]) { List cons = acc.Account.Contacts; System.debug(acc.Name + ` has ` + cons.size() + `Contacts\`); }`
- D. `For(Account acc: [SELECT Id, Name, Account.Contacts FROM Account WHERE CreatedDate = THIS_WEEK]){ List cons = acc.Account.Contacts; System.debug(acc.Name + ` has ` + cons.size() + `Contacts\` }`

Correct Answer: A

[Latest PDI Dumps](#)

[PDI Practice Test](#)

[PDI Braindumps](#)