



# PDII<sup>Q&As</sup>

Salesforce Certification for Platform Developer II

## Pass Salesforce PDII Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/pdii.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





## QUESTION 1

Refer to the code below:

### Apex Class:

```
public class OppController {  
    public List<Opportunity> getTopOpps() {  
        return [SELECT Name FROM Opportunity ORDER BY Amount DESC LIMIT 10];  
    }  
}
```

### Component markup:

```
<aura:component>  
    <aura:handler name="init" value="{!this}" action="{!c.doInit}"/>  
</aura:component>
```

### Component controller:

```
{!  
doInit : function(cmp, event, helper) {  
    var action = cmp.get("c.getTopOpps");  
  
    action.setCallback(this, function(response) {  
        var state = response.getState();  
        if (state === "SUCCESS") {  
            console.log("From server: " + response.getReturnValue());  
        }  
    });  
    $A.enqueueAction(action);  
}  
}
```

A developer is building this Aura component to display information about top Opportunities in the org.

Which three code changes must be made for the component to work?

Choose 3 answers

- A. Add the static keyword to the Apex method.
- B. Set the controller in the component markup.
- C. Add the RemoteAction annotation to the Apex method.
- D. Add the AuraEnabled annotation to the Apex method.
- E. Get the controller action with `cmp.get("\\oppController.getTopOpps")`.

Correct Answer: ABD



### QUESTION 2

A Visualforce Page throws an Attempt to dereference a null object error for a Contact. What change in the controller will fix the error?

- A. Declare a static final Contact at the top of the controller.
- B. Change the setters signature to return a Contact.
- C. Use a condition in the getter to return a new Contact if it is null.
- D. Change the getter's signature to be static Contact.

Correct Answer: C

---

### QUESTION 3

Which two relationship queries use the proper syntax? Choose 2 answers

- A. `SELECT Name, (SELECT LastName FROM Contacts__r) FROM Account`
- B. `SELECT Name, (SELECT LastName FROM Contacts) FROM Account`
- C. `SELECT Id, Name, Account __r.Name FROM Contact WHERE Account r.Industry = 'Media'`
- D. `SELECT Id, Name, Account.Name FROM Contact WHERE Account.Industry = 'Media'`

Correct Answer: BD

---

### QUESTION 4

Code must have X% overall code coverage.

- A. X= 100
- B. X = 75
- C. X = 65
- D. X = 50

Correct Answer: B

---

### QUESTION 5

A developer created a class that implements the Queueable interface, as follows:

As part of the deployment process, the developer is asked to create a corresponding test class.



Which two actions should the developer take to successfully execute the test class? Choose 2 answers

- A. Ensure the running user of the test class has, at least, the View All permission on the Order object
- B. Enclose System.enqueueJob (new orderQueueable Job ( )) within Test.starttest and Test.stopTest ( )
- C. Implement seeAllData=true to ensure the Queueable job is able to run in bulk mode.
- D. Implement Test.isRunningTest ( ) to prevent chaining jobs during test execution.

Correct Answer: CD

[Latest PDII Dumps](#)

[PDII PDF Dumps](#)

[PDII Practice Test](#)