



# PDII<sup>Q&As</sup>

Salesforce Certification for Platform Developer II

## Pass Salesforce PDII Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/pdii.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

An Apex Trigger creates a Contract record every time an Opportunity record is marked as Closed and Won. This trigger is working great, except (due to a recent acquisition) historical Opportunity records need to be loaded into the Salesforce instance.

When a test batch of records is loaded, the Apex Trigger creates Contract records. A developer is tasked with preventing Contract records from being created when mass loading the Opportunities, but the daily users still need to have the Contract records created.

What is the most extendable way to update the Apex Trigger to accomplish this?

- A. Use a Hierarchy Custom Setting to disable the Trigger for the user who does the data loading.
- B. Add a Validation Rule to the Contract to prevent Contract creation by the user who does the data loading.
- C. Use a List Custom Setting to disable the Trigger for the user who does the data loading.
- D. add the Profile Id of the user who does the data loading to the Trigger so the Trigger won't fire for this user.

Correct Answer: A

---

### QUESTION 2

A developer is asked to create a Lightning web component that will be invoked via button on a record page. The component must be displayed in a modal dialog.

Which two steps should the developer take to achieve this?

Choose 2 answers

- A. Add a targetConfig and set targets to lightning\_RecordAction.
- B. In targetConfigs, add Lightning\_Apppage as a target.
- C. Set action Type to screenAction.
- D. In target, add lightning\_RecordAction as a target.
- E. Set eventType to action.

Correct Answer: CD

---

### QUESTION 3

Refer to the code snippet below:



```
public static void updateCreditMemo(String customerId, Decimal newAmount){
    List<Credit_Memo__c> toUpdate = new List<Credit_Memo__c>();
    for(Credit_Memo__c creditMemo : (Select Id, Name, Amount__c FROM Credit_Memo__c WHERE Customer_Id__c = :customerId
    LIMIT 50)){
        creditMemo.Amount__c = newAmount;
        toUpdate.add(creditMemo);
    }
    Database.update(toUpdate, false);
}
```

A custom object called Credit\_Memo\_\_c exist in a Salesforce environment. As part of a new feature development that retrieves and manipulates this type of record, the developer needs to ensure race conditions are prevented when a set of records are modified within an Apex transaction.

In the preceding Apex code, how can the developer alter the query statement to use SOQL features to prevent race condition within a transaction?

- A. [Select Id, Name, Amount\_\_c FROM Credit\_Memo\_\_c WHERE Customer\_Id\_\_c = :customerId FOR REFERENCE LIMIT 50]
- B. [Select Id, Name, Amount\_\_c FROM Credit\_Memo\_\_c WHERE Customer\_Id\_\_c = :customerId limit 50 FOR REFERENCE]
- C. [Select Id, Name, Amount\_\_c FROM Credit\_Memo\_\_c WHERE Customer\_Id\_\_c = :customerId LIMIT 50 FOR UPDATE]
- D. [Select Id, Name, Amount\_\_c FROM Credit\_Memo\_\_c WHERE Customer\_Id\_\_c = :customerId FOR UPDATE LIMIT=50]

Correct Answer: C

---

#### QUESTION 4

if the "PageReference.setRedirect" Apex function is set to False, what type of request is made?

- A. Get request
- B. Postback request
- C. If PageReference points to the same controller and subset of extensions, postback request, otherwise get request

Correct Answer: C

---

#### QUESTION 5

An org has a requirement that addresses on Contacts and Accounts should be normalized to a company standard by Apex code any time that they are saved.

What is the optimal way to implement this?

- A. Apex trigger on Account that calls the Contact trigger to normalize the address



- B. Apex trigger on Contact that calls the Account trigger to normalize the address
- C. Apex trigger on Account that and Account that normalized the address
- D. Apex trigger on Account and Account that call a helper class to normalize the address

Correct Answer: B

[PDII VCE Dumps](#)

[PDII Practice Test](#)

[PDII Study Guide](#)