



PEGAPCLSA85V1^{Q&As}

Lead System Architect (LSA) Pega Architecture Exam 85V1

Pass Pegasystems PEGAPCLSA85V1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/pegapclsa85v1.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by
Pegasystems Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

XYZ Corp users are experiencing delays in the application that you suspect is related to the database.

Which two options do you recommend to isolate the issue? (Choose Two)

- A. Write Pega logs to the database server.
- B. Investigate when the database is used most heavily.
- C. Lower query-time-related alert thresholds.
- D. Increase the threshold for blob-size alerts.

Correct Answer: BC

QUESTION 2

APP Studio created a data type in the Organization layer for Quote data called BCO-Data Quote. How do you help users find rules from this data class when working in APP Studio?

- A. Create a BCO-QI -Data-Quote class that inherits from BCO Data-Quote.
- B. Use a Data Reference to configure the rules that you need from the BCO-Data-Quote class.
- C. Copy the fields in the data class to the BCO QT Work- class so all subclasses can see the Quote rules.
- D. Select each rule you want to reuse in the application as a relevant record.

Correct Answer: D

QUESTION 3

Table a contains customer information. Table B contains complaints submitted by customers. Table C contains positive feedback submitted by customer.

You are tasked to write a report that list all rows in Table A where, per customer, the number of rows in Table B related to Table A are greater than the number of rows in Table C related to table A.

Which method creates the report that executes with the best performance?

- A. Define two subreports: one that counts rows in Table B relative to Table A, and on that counts the rows in table C relative to Table A. Only include rows in the main. Report against table A where the table B count is greater that the Table C count.
- B. Join table A to Table B and C using include all rows in this class. Count the Join column from both Table B and Table C. Only include rows where the first count is greater than the second.
- C. Join table A to Table B and C using include all rows in join class. Count the Join column from both Table B and Table C. Only include rows where the first count is greater than the second.



D. Define two subreports, one where table B users `\\'Do not Join\\'`, and one where Table C users `\\'Do not Join\\'`, In the main report count the rows from each subreport, then only include rows where the count from the Table B subreport than the count from the Table C subreport.

Correct Answer: A

QUESTION 4

The SLA and the customer's system administrator are reviewing scenarios that do not require an application server restart. Select three scenarios from this list. (choose three)

- A. When deploying rule only hotfixes
- B. When changing the prweb web.xml file
- C. When changing the system name
- D. When the deploying new rules
- E. When the prlogging.xml file is modified

Correct Answer: ADE

QUESTION 5

A developer has set the Rule security mode on the access group to Deny. Select the reason for this setting.

- A. Require Access of Role to Object rules be specified for each layer in the class hierarchy and not inherited from parent classes.
- B. Deny access to a rule if the privilege of the user is not defined in an Access of Role to Object.
- C. Disable standard privileges providing administrator access to the application (for example AllFlows and AllFlowActions).
- D. Ensure that all rules with the option of specifying a privilege have a privilege. Only users with the privilege can execute the rules.

Correct Answer: D

[PEGAPCLSA85V1 VCE Dumps](#)

[PEGAPCLSA85V1 Practice Test](#)

[PEGAPCLSA85V1 Study Guide](#)