



VCE & PDF

PassApply.com

[https://www.passapply.com/pegapcrsa80v1\\_2019.html](https://www.passapply.com/pegapcrsa80v1_2019.html)

2024 Latest passapply PEGAPCRSA80V1\_2019 PDF and VCE dumps  
Download

# PEGAPCRSA80V1\_2019<sup>Q&As</sup>

Pega Certified Robotics System Architect 80V1 2019

## Pass Pegasystems PEGAPCRSA80V1\_2019 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.passapply.com/pegapcrsa80v1\\_2019.html](https://www.passapply.com/pegapcrsa80v1_2019.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by  
Pegasystems Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

The following Context variables are defined in the Interaction.xml of the solution.

```
<Context>  
  <Value Name="GroupID" Type="String" Default="XKY12345"/>  
  <Value Name="Procedures" Type="Number" Default="0"/>  
  <Value Name="HasBeenPaid" Type="Boolean" Default="false"/>  
</Context>
```

An automation creates an interaction and later sets the following values for Procedures and HasBeenPaid.



When the agent finishes the call, an automation clears the context variables using ClearContext.



What is the state of the HasBeenPaid variable at this point?

- A. The value of HasBeenPaid is now True.
- B. The value of HasBeenPaid is now False.
- C. The value of HasBeenPaid is now null.

Correct Answer: B

### QUESTION 2

DRAG DROP

Pega Robot Studio produces several log files during the opening, building, debugging, and deployment of a solution. In the Answer Area, drag the description of the log file on the left to its correct log file name.

Select and Place:



**Answer Area**

	<u>Description</u>	<u>Log File Name</u>
Includes diagnostic messages from the execution of Robot Studio		OSDLog.txt
Includes diagnostic messages generated when building a Robot Studio project		RuntimeLog.txt
Includes diagnostic messages from the execution of Runtime		StudioLog.txt
Includes diagnostic messages generated when creating a Robot Studio deployment package for a project		OSCLog.txt

Correct Answer:

**Answer Area**

	<u>Description</u>	<u>Log File Name</u>
	Includes diagnostic messages generated when creating a Robot Studio deployment package for a project	OSDLog.txt
	Includes diagnostic messages from the execution of Runtime	RuntimeLog.txt
	Includes diagnostic messages from the execution of Robot Studio	StudioLog.txt
	Includes diagnostic messages generated when building a Robot Studio project	OSCLog.txt

**QUESTION 3**

The following image shows a Message Definitions configuration.





Message Definitions

Code	Caption	Button	Icon	Default Button	Message
JP-B-101	Park Alert	OK	Warning	Button 1	YOU DIDN'T SAY THE MAGIC WORD!

Add Remove Show Test Dialog... Export... OK Cancel

Which option is the correct representation of the message configuration settings?



A. Option A

B. Option B

C. Option C

D. Option D



Correct Answer: B

#### QUESTION 4

A developer adds a diagnostic log component to an automation and checks the log file.

```

Info | 02:28:36.568 | EM | 25 | MTA | Playback | | CRM_E_CRMChild_Created-64125524 | Link*SessionId=0c00d382-ba28-4400-
Info | 02:28:36.569 | EM | 25 | MTA | Automation | CRM_E_CRMChild_Created | CRMAdapterPrj | Automation: CRM_E_CRMChild_Created
Info | 02:28:36.571 | EM | 25 | MTA | Automation | | | | Creating Seat Component - CompID
Warning | 02:28:36.572 | EM | 25 | MTA | Automation | | | | *****Starting Interaction*****
Info | 02:28:36.573 | EM | 25 | MTA | Playback | | CRM_E_CRMChild_Created-64125524 | Link*SessionId=0c00d382-ba28-4400-
Info | 02:28:36.574 | EM | 25 | MTA | Automation | CRM_E_CRMChild_Created | CRMAdapterPrj | Automation: CRM_E_CRMChild_Created
Warning | 02:28:36.576 | EM | 25 | MTA | ExecutionTracker | | | | ExecutionTracker EnterWait() - Dash
  
```

Based on the image, how did the developer configure the diagnostic log component settings?



A.

<input type="checkbox"/> <b>Design</b>	
(Name)	<b>diagnosticsLog1</b>
FullName on ACME_P_Sign	ACME_P_SignIn.diagnosticsLog1
Uniqueid on ACME_P_SignI	Automator-8D51549BCC7F4EE\Di
<input type="checkbox"/> <b>Diagnostics</b>	
Category	Automation
Mode	On
Type	Info

B.

<input type="checkbox"/> <b>Design</b>	
(Name)	<b>diagnosticsLog1</b>
FullName on CRM_E_CRMC	CRM_E_CRMChild_Created.diagn
UniqueID on CRM_E_CRMC	Automator-8D5156BC78BC6B9\D
<input type="checkbox"/> <b>Diagnostics</b>	
Category	Automation
Mode	On
Type	<b>Warning</b>

C.

<input type="checkbox"/> <b>Design</b>	
(Name)	<b>diagnosticsLog1</b>
FullName on ACME_P_Sign	ACME_P_SignIn.diagnosticsLog1
Uniqueid on ACME_P_SignI	Automator-8D51549BCC7F4EE\Di
<input type="checkbox"/> <b>Diagnostics</b>	
Category	<b>*****Starting Interaction*****</b>
Mode	On
Type	<b>Warning</b>

D.

<input type="checkbox"/> <b>Design</b>	
(Name)	<b>diagnosticsLog1</b>
FullName on CRM_E_CRMC	CRM_E_CRMChild_Created.diagn
UniqueID on CRM_E_CRMC	Automator-8D5156BC78BC6B9\D
<input type="checkbox"/> <b>Diagnostics</b>	
Category	Automation
Mode	<b>Off</b>
Type	<b>Warning</b>



- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: B

---

#### QUESTION 5

There are two basic types of automations: events and procedures.

Which three statements describe a procedure automation? (Choose three.)

- A. It performs business logic and may interact with applications.
- B. It is triggered by a user or application action.
- C. It may contain more than one starting block.
- D. It contains an entry point and should contain at least one exit point.
- E. It should return a string value for messaging.

Correct Answer: CDE

[Latest  
PEGAPCRSA80V1\\_2019  
Dumps](#)

[PEGAPCRSA80V1\\_2019  
VCE Dumps](#)

[PEGAPCRSA80V1\\_2019  
Exam Questions](#)