PEGAPCSSA86V1^{Q&As}

Pega Certified Senior System Architect (PCSSA) 86V1

Pass Pegasystems PEGAPCSSA86V1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/pegapcssa86v1.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Pegasystems Official Exam Center

QUESTION 1

Which requirement is a prerequisite for configuring a Pega Web Mashup?

A. No outstanding Guardrail violations

B. A web server to test your host page

C. At least one work queue in your application

D. At least one Access control policy rule

Correct Answer: B

QUESTION 2

What is the difference between using the Call and Branch methods in an activity step to invoke other activities?

A. Call provides more robust debugging capability than Branch, while Branch provides better run-time performance.

B. Branch overrides the security restrictions of the called activity allowing you to easily test code; it will not run in production.

C. Branch creates a new thread to allow asynchronous processing, while Call runs in the thread from it was invoked.

D. Call returns to the originating activity, while Branch skips the remainder of the originating activity.

Correct Answer: D

QUESTION 3

While running an application, a user notes that a system exception occurred. Which log do you review to identify the issue?

A. Pega

B. Alert

C. AlertSecunty

D. BIX

Correct Answer: B

QUESTION 4

HOTSPOT

A hospital uses a Patient visit case type to track patient visits to the Emergency Room (ER). The case type can create

Lab analysis and Diagnostic imaging child cases. While the child cases are active, the attending doctor or nurse must be

able to update the patient visit case with notes and treatment recommendations.

In the Answer Area, select the configurations which allow a doctor or nurse to update the parent case while lab and imaging technologists perform assignments on their respective child cases.

Hot Area:

Case Types	Configuration
Patient visit	Allow multiple users ▼
Lab analysis	Allow other users to open the parent ca... ▼
Diagnostic imaging	Allow other users to open the parent ca... ▼

Correct Answer:

Case Types	Configuration
Patient visit	Allow multiple users ▼
Lab analysis	Allow other users to open the parent ca... ▼
Diagnostic imaging	Allow other users to open the parent ca... ▼

QUESTION 5

There are five instances of a rule in the rules cache. The only differences between these are the circumstance settings and ruleset version. The operator\'s access group has access to all ruleset versions. On 1 June 2020, which instance is chosen by rule resolution if .Country = Algeria?

Ruleset Version	Circumstance
SelfService:01-01-01	None
SelfService:01-01-01	.Country = Algeria
SelfService:01-01-02	Start Date = 1 January 2020 End Date = 31 December 2020
SelfService:01-01-03	None, *Base Rule* checked
SelfService:01-01-05	None

A. SelfService:01-01-03 (Circumstance: None, Base Rule checked)

B. SelfService:01-01-01 (Circumstance: .Country=Algeria)

C. SelfService:01-01-02 (Circumstance: Start Date = 1 January 2020; End Date = 31 December 2020)

D. SelfService:01-01-01 (No Circumstance)

E. SelfService:01-01-05 (No Circumstance)

Correct Answer: E