



# PR000041<sup>Q&As</sup>

PowerCenter Data Integration 9.x:Developer Specialist

## Pass Informatica PR000041 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/pr000041.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Informatica Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

What function could be used to exchange `\\'i\\'` with `\\'I\\'` in the COMPANY port given the following expression?  
functionname(1, COMPANY, `\\'i\\'`, `\\'I\\'`)

- A. CHOOSE
- B. REPLACECHR
- C. REG\_REPLACE
- D. INSTR

Correct Answer: B

---

### QUESTION 2

Which port types are applicable to the Stored Procedure transformation?(Choose all that apply) Choose 3 answers

- A. Input
- B. Output
- C. Variable
- D. Return

Correct Answer: ABD

---

### QUESTION 3

Using the Properties view of a Session task from the Workflow Monitor, the reason for a session's failure can possibly be determined?

- A. True
- B. False

Correct Answer: A

---

### QUESTION 4

In the TO\_CHAR (date) function, what do the format strings D, DD, and DDD produce? (choose one)

- A. Character day of week, character day of month, and character day of year respectively
- B. Day of week, day of month, and Julian date since 4713 B.C. 00:00:00 (midnight) respectively
- C. Each produces numerical day of week



D. Numerical day of week, day of month, and day of year respectively

Correct Answer: D

---

#### QUESTION 5

A Router transformation has the following group filter conditions:

Group A: InputValue = 2

Group B: InputValue > 1

Default group

The InputValue is an integer port. Identify which of the following statements is correct. (Choose one)

- A. If InputValue = 2, the output will be routed to Group A only
- B. If InputValue = 2, the output will be routed to both groups A and B
- C. If InputValue = 2, the router will fail, since rows cannot be routed to multiple groups
- D. Any positive number values other than 1 or 2 will be routed to the Default group

Correct Answer: B

[Latest PR000041 Dumps](#)

[PR000041 VCE Dumps](#)

[PR000041 Exam Questions](#)