



# PSE-CORTEX<sup>Q&As</sup>

Palo Alto Networks System Engineer - Cortex Professional

## Pass Palo Alto Networks PSE-CORTEX Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/pse-cortex.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Palo Alto  
Networks Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Given the exception thrown in the accompanying image by the Demisto REST API integration, which action would most likely solve the problem?

Desmisto REST API

Name: Demisto REST API\_instance\_1

Demisto Server URL: https://127.0.0.1

Demisto Server API Key: \*\*\*\*\*

User system proxy settings

Use sigle engine: No engine

! Script failed to run: Demisto REST APIs-

Request Failed.

Status code:1

Body:{"StatusCode":-1,"Status":"Get https://127.0.0.1/user:x509;cannot validate certificate for 127.0.0.1 because it doesn't contain any IP SANs","Cookies":

[],"Body":"","Bytes":[],"Headers":{"Path":}, at sendRequest(script:59:23(79)):(2603)

Which two playbook functionalities allow looping through a group of tasks during playbook execution? (Choose two.)

- A. Generic Polling Automation Playbook
- B. Playbook Tasks
- C. Sub-Play books
- D. Playbook Functions

Correct Answer: CD

---

### QUESTION 2

What method does the Traps agent use to identify malware during a scheduled scan?

- A. Heuristic analysis
- B. Local analysis
- C. Signature comparison
- D. WildFire hash comparison and dynamic analysis

Correct Answer: D

---



### QUESTION 3

Which process in the causality chain does the Cortex XDR agent identify as triggering an event sequence?

- A. the relevant shell
- B. The causality group owner
- C. the adversary's remote process
- D. the chain's alert initiator

Correct Answer: B

---

### QUESTION 4

How does DBot score an indicator that has multiple reputation scores?

- A. uses the most severe score scores
- B. the reputation as undefined
- C. uses the average score
- D. uses the least severe score

Correct Answer: A

---

### QUESTION 5

Which four types of Traps logs are stored within Cortex Data Lake?

- A. Threat, Config, System, Data
- B. Threat, Config, System, Analytic
- C. Threat, Monitor, System, Analytic
- D. Threat, Config, Authentication, Analytic

Correct Answer: A

[Latest PSE-CORTEX Dumps](#)

[PSE-CORTEX PDF Dumps](#)

[PSE-CORTEX Exam Questions](#)