



PSE-STRATADC^{Q&As}

Palo Alto Networks System Engineer Professional - Strata Data Center

Pass Palo Alto Networks PSE-STRATADC Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/pse-stratadc.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Palo Alto
Networks Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which configuration is required to share NSX security groups as tags to be used by Dynamic Address Groups in a non-NSX firewall?

- A. notify device groups within VMware Services Manager
- B. a User-ID agent on a Windows domain server
- C. VMware Information Sources
- D. none, sharing happens by default

Correct Answer: B

QUESTION 2

How does Twistlock offer workload security at runtime?

- A. works with the IDP to identify over-privileged containers and services and restricts network access
- B. quarantines containers that demonstrate increased CPU and memory usage
- C. automatically patches vulnerabilities and compliance issues for every container and service
- D. builds a whitelist security model automatically for every container and service

Correct Answer: A

QUESTION 3

Which three criteria are required to deploy VM-Series firewalls in High Availability? (Choose three)

- A. deployed on same type of hypervisor
- B. allocate identical CPU cores and network interfaces
- C. assigned identical licenses and subscriptions
- D. deployed on a different host
- E. configured asymmetric routing

Correct Answer: ABC

In an HA configuration on the VM-Series firewalls, both peers must be deployed on the same type of hypervisor, have identical hardware resources (such as CPU cores/network interfaces) assigned to them, and have the set same of licenses/subscriptions.

<https://docs.paloaltonetworks.com/vm-series/9-0/vm-series-deployment/about-the-vm-series-firewall/vmseries-in-high-availability.html>



QUESTION 4

Which interface mode does an administrator use to generate the statdump file that can be converted into an SLR?

- A. Virtual Wire
- B. TAP
- C. Layer 2
- D. Layer 3

Correct Answer: B

QUESTION 5

Which three components are relevant for installing a VM-Series firewall in an OpenStack environment? (Choose three)

- A. bootstrap files including init-cfg.txt, bootstrap.xml, and VM-Series auth codes
- B. a valid VM-Series gcw2 image
- C. Hypervisor: ESX
- D. a valid OpenStack heat template in json format
- E. a valid vmseries vhd image
- F. a valid OpenStack heat template in yaml format

Correct Answer: ABD

[PSE-STRATADC PDF
Dumps](#)

[PSE-STRATADC Study
Guide](#)

[PSE-STRATADC
Braindumps](#)