



QSSA2018^{Q&As}

Qlik Sense System Administrator Certification Exam

Pass QlikView QSSA2018 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/qssa2018.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by QlikView
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A system administrator has a multi-node Qlik Sense environment with a consumer node and a scheduler node. Reload task occur every 20 minutes, 24 hours a day, 7 days a week. The reload tasks cause poor performance for the users.

The system administrator reviews the configuration in the Qlik Management Console. The consumer node runs the Engine, Scheduler, Repository, and Proxy services. The scheduler node runs the Engine, Scheduler, and Repository services.

What is the most efficient method to improve performance?

- A. Configure the reloads to run only during non-business hours
- B. Remove the Scheduler from the consumer node
- C. Change the scheduler node to "Master" only
- D. Increase the number of reloads in the scheduler node

Correct Answer: C

Reference: <https://community.qlik.com/t5/Qlik-Sense-Documents-Videos/Best-Practices-of-Qlik-SenseMulti-Node-Setup-Load-Balancing-amp/ta-p/1522016/page/8>

QUESTION 2

A data architect creates an app in Qlik Sense Desktop with an ODBC data connection from Apache Hive using a single sign-on solution (SSO). When the app is published in the hub, the data connection fails.

A system administrator tests the login credentials for the ODBC connection on the server and is able to access the database. Why does the data connection fail?

- A. Qlik Sense Desktop is NOT allowing Qlik Sense server to use Apache Hive
- B. The data architect's account is NOT assigned the RootAdmin role
- C. The service account user is NOT part of the SSO solution in Apache Hive
- D. The Qlik Sense server does NOT support ODBC connections with Apache Hive

Correct Answer: C

QUESTION 3

Refer to the exhibit.



| Name | Associated resource | Type | Enabled | Status | Last execution | Next execution |
|----------------------------|---------------------|--------------|---------|-----------|------------------|-----------------------|
| Local Server_usersyncntask | Local Server | User sync... | Yes | ✓ Success | 2016-11-30 14:18 | |
| Reload License Monitor | Local Monitor | Reload | Yes | ✓ Success | 2017-08-15 14:08 | 2017-08-15 15:08 |
| Reload Operations Monitor | Operations Monitor | Reload | Yes | ✓ Success | 2017-08-15 14:08 | 2017-08-15 15:08 |
| TASK_RELOAD_APP1 | APP1 | Reload | Yes | ✓ Success | 2017-08-15 14:12 | 2017-08-15 14:13 |
| TASK_RELOAD_APP2 | APP2 | Reload | Yes | ✗ Failed | 2017-08-15 14:12 | On task event trigger |
| TASK_RELOAD_APP3 | APP3 | Reload | Yes | ✓ Success | 2017-08-15 14:07 | On task event trigger |

Refer to the exhibit.

A ContentAdmin user discovers TASK_RELOAD_APP2 fails. The user double-clicks the Failed task to open the Edit reload task screen. There are NO issues found in the Edit reload task screen. The user opens the Operations Monitor app, and finds an error message in the Task Details sheet:

Message from ReloadProvider: Reload failed in Engine. Check Engine or Script logs.

The Engine log did NOT provide any reason for the failure.

Which is the most efficient method to find the cause of this issue?

- A. On the Failed task, click the information icon in the Status field, then click Download script log
- B. Navigate to C:\ProgramData\Qlik\Sense\Log, then open and review the most recent file
- C. Navigate to C:\Program Files\Qlik\Sense\Logging, then open and review the most recent file
- D. In the QMC, select Audit, select Reload Tasks under Target resource, then click Audit and review

Correct Answer: D

QUESTION 4

A system administrator needs to upgrade the environment to the latest version of Qlik Sense Enterprise and decides to create a backup.

Which three items should the administrator back up? (Choose three.)

- A. Qlik Sense certificates
- B. Qlik Sense Repository Database
- C. Qlik Sense ProgramData files
- D. Shared persistence file share
- E. Qlik Sense apps







Correct Answer: ABD

QUESTION 5

A system administrator must design a Qlik Sense server architecture that meets the following requirements:
Approximately 1000 users will be using apps Apps are reloaded outside of office hours The total size of data in all apps will be approximately 600 million rows Apps must be available 24/7

Which architecture meets these requirements in the most cost efficient way?





A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: D

[Latest QSSA2018 Dumps](#)

[QSSA2018 PDF Dumps](#)

[QSSA2018 Brindumps](#)