



# RHCE<sup>Q&As</sup>

Red Hat Certified Engineer — RHCE

## Pass RedHat RHCE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/rhce.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by RedHat  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





## QUESTION 1

### SIMULATION

There were two systems:

system1, main system on which most of the configuration take place

system2, some configuration here

Smb multiuser mount

Mount the samba share /opstack permanently beneath /mnt/smbspace on desktopX as a multiuser mount.

The samba share should be mounted with the credentials of frankenstein.

A. explanation

Correct Answer: A

```
yum -y install cifs-utils samba-client
mkdir -p /mnt/smbspace
vim /root/smb-multiuser.txt
username=frankenstein
password=SaniTago
chmod 0600 /root/multiuser.txt
vim /etc/fstab
//server1/cluster /mnt/smbspace cifs defaults,sec =ntlmssp,
credentials=/root/smb-multiuser.txt,multiuser 0 0
```

## QUESTION 2

### SIMULATION

RHCE Test Configuration Instructions

Information for the two systems you will use in test is the following:

system1.group3.example.com: is one of the main sever. system2.group3.example.com: mainly used as a client.

Password for both of the two systems is atenorth

System\'s IP is provided by DHCP, you can regard it as normal, or you can reset to Static IP in accordance with the following requirements:

system1.group3.example.com: 172.24.3.5



system2.group3.example.com: 172.24.3.10

The subnet mask is 255.255.255.0

Your system is a member of DNS domain group3.example.com. All systems in DNS domain group3.example.com are all in subnet 172.24.3.0/255.255.255.0, the same all systems in this subnet are also in group3.example.com, unless

specialized, all network services required to be configured can be accessed by systems of domain group3.

host.group3.example.com provides a centralized authentication service domain

GROUP3.EXAMPLE.COM, both system1 and system2 have already been pre-configured to be the client for this domain, this domain provides the following user account:

```
krishna (password: atenorth)
sergio (password: atenorth)
kaito (password: atenorth)
```

Firewall is enabled by default, you can turn it off when deemed appropriate, other settings about firewall may be in separate requirements.

Your system will be restarted before scoring, so please ensure that all modifications and service configurations you made still can be operated after the restart without manual intervention, virtual machine instances of all examinations must be able to enter the correct multi-user level after restart without manual assistance, it will be scored zero if the test using virtual machine system cannot be restarted or be properly restarted.

Corresponding distribution packages for the testing using operating system Red Hat Enterprise Linux version can be found in the following link: <http://server1.group3.example.com/rhel>

Part of the requirements include host security, ensure your host security limit does not prevent the request to allow the host and network, although you correctly configured the network service but would have to allow the host or network is blocked, this also does not score.

You will notice that some requirements which clearly do not allow services be accessed by service domain my133t.org, systems of this domain are in subnet 172.25.1.0/252.255.255.0, and systems of these subnets also belong to my 133t.org domain.

PS: Notice that some test questions may depend on other exam questions, for example, you might be asked to perform a series of restrictions on a user, but this user creation may be required in other questions. For convenient identification, each exam question has some radio buttons to help you identify which questions you have already completed or not completed. Certainly, you do not need to care these buttons if you don't need them.

Mount a NFS Share

Mount a NFS Share to system1.domain11.example.com on the system2, as required:

1.

Mount the /public to the directory /mnt/nfsmount

2.

Mount the /protected to the directory /mnt/nfssecure, in a security way, key download from the following URL:  
[http://host.domain11.example.com/materials/nfs\\_client.keytab](http://host.domain11.example.com/materials/nfs_client.keytab)



3.

User deepak can create files in /mnt/nfssecure/project

4.

These file systems automatically hang up when the system is started

A. explanation

Correct Answer: A

system2:

```
showmount -e system1
mkdir -p /mnt/nfsmount
vim /etc/fstab
system1:/public /mnt/nfsmount nfs defaults 0 0
mount -a
df -h
```

```
mkdir /mnt/nfssecure
wget -O /etc/krb5.keytab
http://host.domain11.example.com/materials/nfs_client.keytab
vim /etc/fstab
```

system1:

```
/protected /mnt/nfssecure nfs defaults,sec=krb5p,v4.2 0 0
:wq
mount -a
```

---

### QUESTION 3

#### SIMULATION

There were two systems: system1, main system on which most of the configuration take place system2, some configuration here Webpage content modification. Implement website for <http://serverX.example.com/owndir> Create a directory named as "owndir" under the document root of webserver Download <http://station.network0.example.com/pub/rhce/restrict.html> Rename the file into ondex.html The content of the owndir should be visible to everyone browsing from your local system but should not be accessible from other location

A. explanation



Correct Answer: A

```
mkdir /var/www/html/owndir
restorecon -Rv /var/www/html
cd /var/www/html/owndir

wget http://station.network0.example.com/pub/rhce/restrict.html
my restrict.html intex.html

vi/etc/httpd/conf.d/server1.conf

(Add this)

<Directory "/var/www/html/owndir">
AllowOverride None
Require all Denied
Require local
</Directory>

systemctl restart httpd
```

---

#### QUESTION 4

##### SIMULATION

Via nfs service share the /common directory in your system, just doing ONE share in example.com domain.

A. explanation

Correct Answer: A

```
[root@server1 ~]# grep common /etc/exports
/common *.example.com (ro,sync)
```

---

#### QUESTION 5

##### SIMULATION

Configure cron and don't allow the user tom to use.

A. explanation

Correct Answer: A



```
# useradd tom
# vim /etc/cron.deny
tom
```

[RHCE PDF Dumps](#)

[RHCE Practice Test](#)

[RHCE Exam Questions](#)