



RPFT^{Q&As}

Registry Examination for Advanced Pulmonary Function Technologists

Pass Test Prep RPFT Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/rpft.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Test Prep
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

In which of the following patients would an end-tidal CO₂ most likely produce values that are inconsistent with PaCO₂?

- A. 50 year old with mild scleroderma
- B. 42 year old with moderate COPD
- C. 20 year old who smokes cigarettes
- D. 12 year old with kyphoscoliosis

Correct Answer: B

QUESTION 2

Which of the following is correct regarding smoking cessation?

- A. Withdrawal symptoms are mild and last less than 48 hours.
- B. Pharmacologic therapy increases chances of success along with counseling.
- C. Support systems are minimally effective in smoking cessation.
- D. Smokers who quit suddenly and without help are most likely to be successful.

Correct Answer: B

QUESTION 3


During an exercise (stress) test, the minute ventilation to carbon dioxide production (V_e/V_{CO_2}) ratio is 100. This measurement indicates

- A. Severe pulmonary hypertension
- B. A normal response
- C. Equipment malfunction
- D. Increased work of breathing

Correct Answer: C

QUESTION 4

A pulmonary function technologist reviews the following home monitoring spirometry results:



According to National Asthma Education and Prevention Program (NAEPP) guidelines, what feedback should the technologist give to the patient regarding test performance?

- A. Ask the patient to blow out longer.
- B. Encourage the patient to continue testing and monitoring the FEV
- C. Ask the patient to recalibrate the spirometer.
- D. Come into the office for further instructions on proper testing technique.

Correct Answer: B

QUESTION 5

At the end of a progressive exercise study of a healthy adult male, RER would be approximately what value?

- A. 1.65
- B. 0.83
- C. 1.00
- D. 1.25

Correct Answer: C