



S10-210^{Q&As}

Storage Networking Management and Administration

Pass SNIA S10-210 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/s10-210.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SNIA
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What should be considered when implementing remote replication of storage?

- A. The IOPS requirements at the primary site
- B. The geographical location of the primary site
- C. The availability of communication links
- D. The availability of server hardware at the secondary site

Correct Answer: C

QUESTION 2

You need to merge two existing FC fabrics. After connecting the ISL to join the fabrics, numerous switches segment.

What should be done to prevent the segmentation?

- A. Physically separate the switches to opposite sides of the data center.
- B. Move business critical applications to clusters.
- C. Increase the frequency of snapshots for critical data.
- D. Assign domain IDs which are unique across both fabrics.

Correct Answer: D

QUESTION 3

You need to add an iSCSI host and storage array to your environment. Your manager wants at least two options that allow all iSCSI initiators to query a central management server to locate the address of all iSCSI resources (e.g., iSCSI initiators, targets, switches, and management stations).

Which two protocol methods would be used? (Choose two.)

- A. Directory Name Service protocol (DNS)
- B. Simple Network Management Protocol (SNMP)
- C. Internet Storage Name Server protocol (iSNS)
- D. Service Location Protocol (SLP)

Correct Answer: CD

QUESTION 4



When troubleshooting an issue on a host, you discover that the existing file system partition has been corrupted after you provisioned a LUN to another host connected to the same FC fabric.

What is the cause of this problem?

- A. Incorrect zoning
- B. Incorrect LUN masking
- C. Incorrect multipathing policy
- D. Incorrect LUN size

Correct Answer: B

QUESTION 5

After provisioning a new LUN to a host, new storage cannot be detected on the host. Which three actions should be performed to troubleshoot this problem? (Choose three.)

- A. Scan memory on a host.
- B. Scan for new storage on the host,
- C. Verify that LUN mapping is correct.
- D. Verify that zoning on the FC switch is correct.
- E. Verify that the size of memory pages and block size is the same.

Correct Answer: BCD

[S10-210 Practice Test](#)

[S10-210 Study Guide](#)

[S10-210 Exam Questions](#)