



# S10-210<sup>Q&As</sup>

Storage Networking Management and Administration

**Pass SNIA S10-210 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/s10-210.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SNIA  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A customer has upgraded all switches in their redundant fabrics during a single maintenance window. Shortly after the upgrades are completed on the core switches, all servers lose access to all SAN attached storage.

What would have prevented this scenario?

- A. High availability
- B. Fault tolerance
- C. Change or risk management
- D. Clustered servers

Correct Answer: C

### QUESTION 2

Click the Exhibit button.

```

stat_wtx          2493559995  4-byte words transmitted
stat_wrx          11910199   4-byte words received
stat_ftx          75073403   Frames transmitted
stat_frx          9008398   Frames received
stat_c2_frx       0           Class 2 frames received
stat_c3_frx       9008117   Class 3 frames received
stat_lc_rx        164          Link control frames received
stat_mc_rx        0           Multicast frames received
stat_mc_to        0           Multicast timeouts
stat_mc_tx        0           Multicast frames transmitted
er_enc_in         0           Encoding errors inside of frames
er_crc            0           Frames with CRC errors
-----
er_trunc          0           Frames shorter than minimum
er_toolong        0           Frames longer than maximum
er_bad_eof        0           Frames with bad end-of-frame
er_enc_out        3073        Encoding error outside of frames
er_bad_os         14811       Invalid ordered set
er_rx_c3_timeout  0           Class 3 receive frames discarded due to
timeout
er_tx_c3_timeout  0           Class 3 transmit frames discarded due to
timeout
er_c3_dest_unreach 0           Class 3 frames discarded due to destination
unreachable
er_other_discard  644          Other discards
=)

```

Referring to the exhibit, which three switch indicators will help you to determine the stability of a link? (Choose three.)

- A. er\_crc
- B. er\_toolong




- C. er\_enc\_in
- D. er\_bad\_eof
- E. er\_trunk

Correct Answer: ACD

### QUESTION 3

Click the Exhibit button.



Which RAID level is shown in the exhibit?

- A. RAID 4
- B. RAID 5
- C. RAID 0
- D. RAID 6

Correct Answer: B

### QUESTION 4

Which protocol commonly uses CNA devices?

- A. FCIP



- B. iFCP
- C. FCoE
- D. FCR

Correct Answer: C

---

#### QUESTION 5

A number of servers are experiencing slower than expected performance. Analyzing the server, switch, and storage logs do not indicate any issues. You have been asked by the customer to address this issue.

What will improve performance?

- A. Increase the current queue depth setting from 1.
- B. Change the frame size from 2148 bytes,
- C. Decrease the buffer-to-buffer credits setting.
- D. Enable write caching functionality for the device driver.

Correct Answer: A

[S10-210 PDF Dumps](#)

[S10-210 Study Guide](#)

[S10-210 Exam Questions](#)