



SCP-401^{Q&As}

Sugar Developer Specialist

Pass SugarCRM SCP-401 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/scp-401.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SugarCRM
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You have a business requirement to create a new Task record when a button is clicked by the user. According to the Sugar Developer Guide, what is the recommended way to accomplish this task?

- A. Create a logic_hook to call BeanFactory::newBean.
- B. Add custom JavaScript code to the editview metadata file.
- C. Create a workflow with an action to create a related record.
- D. Modify the Backbone.js controller to call app.data.createBean.

Correct Answer: D

QUESTION 2

Which folder contains the unminified versions of the controllers found in `~/clients/~`?

- A. `~/jssource/src_files/include/~`
- B. `~/jssource/src_files/modules/~`
- C. `~/jssource/src_files/install/~`
- D. `~/jssource/src_files/clients/~`

Correct Answer: D

QUESTION 3

You are attempting to fetch a list of leads using the REST v10API, but after several successful requests, you are receiving the error code, "not_authorized".

Which two actions would you perform to correct this problem? (Choose two.)

- A. Call the POST `/oauth2/token` endpoint using a `grant_type` of `access_token`.
- B. Call the POST `/oauth2/token` endpoint using a `grant_type` of `password`.
- C. Call the POST `/oauth2/token` endpoint using a `grant_type` of `refresh_token`.
- D. Call the POST `/oauth2/token` endpoint using a `grant_type` of `download_token`.

Correct Answer: AC

QUESTION 4

You examine a Sugar database and discover some table names that end with the moniker `~_c~`. What do the database



tables with these names represent?

- A. custom field data for custom fields
- B. custom field metadata for custom fields
- C. relationship data for custom relationships
- D. relationship metadata for stock and custom relationships

Correct Answer: C

QUESTION 5

What are three methods to create additional fields on stock modules? (Choose three.)

- A. Use POST requests to rest/v10/[moduleName]/fields.
- B. Use the fields_meta_data table.
- C. Use a vardefs extension.
- D. use Module Builder.
- E. use Studio.

Correct Answer: CDE

[Latest SCP-401 Dumps](#)

[SCP-401 Practice Test](#)

[SCP-401 Exam Questions](#)