



# SK0-005<sup>Q&As</sup>

CompTIA Server+ Certification Exam

## Pass CompTIA SK0-005 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/sk0-005.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CompTIA  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

Which of the following should a technician verify FIRST before decommissioning and wiping a file server?

- A. The media destruction method
- B. The recycling policy
- C. Asset management documentation
- D. Non-utilization

Correct Answer: C

---

### QUESTION 2

A technician is configuring a server that requires secure remote access. Which of the following ports should the technician use?

- A. 21
- B. 22
- C. 23
- D. 443

Correct Answer: B

The technician should use port 22 to configure a server that requires secure remote access. Port 22 is the default port for Secure Shell (SSH), which is a protocol that allows secure remote login and command execution over a network connection using a command-line interface (CLI). SSH encrypts both the authentication and data transmission between the client and the server, preventing eavesdropping, tampering, or spoofing. SSH can be used to perform various tasks on a server remotely, such as configuration, administration, maintenance, troubleshooting, etc.

---

### QUESTION 3

Which of the following is the BEST action to perform before applying patches to one of the hosts in a high availability cluster?

- A. Disable the heartbeat network.
- B. Fallback cluster services.
- C. Set the cluster to active-active.
- D. Failover all VMs.

Correct Answer: D

This is the best action to perform before applying patches to one of the hosts in a high availability cluster. A high



availability cluster is a group of hosts that act like a single system and provide continuous uptime. A high availability cluster is often used for load balancing, backup, and failover purposes. Failover is a process of transferring workloads from one host to another in case of a failure or maintenance. By failing over all VMs (Virtual Machines) from the host that needs to be patched to another host in the cluster, the technician can ensure that there is no downtime or data loss during the patching process. Disabling the heartbeat network is not a good action to perform, as this would disrupt the communication and synchronization between the hosts in the cluster. Fallback cluster services is not a valid term, but it may refer to restoring cluster services after a failover, which is not relevant before applying patches. Setting the cluster to active-active is not a good action to perform, as this would increase the load on both hosts and reduce redundancy.

References: <https://www.howtogeek.com/190014/virtualization-basics-understanding-techniques-and-fundamentals/>  
<https://www.howtogeek.com/428483/what-is-end-to-end-encryption-and-why-does-it-matter/>

---

#### QUESTION 4

An administrator is researching the upcoming licensing software requirements for an application that usually requires very little technical support. Which of the following licensing models would be the LOWEST cost solution?

- A. Open-source
- B. Per CPU socket
- C. Per CPU core
- D. Enterprise agreement

Correct Answer: A

Open-source software is software that is freely available and can be modified and distributed by anyone. It usually requires very little technical support and has no licensing fees. Therefore, it would be the lowest cost solution for an application that does not need much support.

References: <https://www.comptia.org/training/resources/exam-objectives/comptia-server-sk0-005-exam-objectives> (Objective 2.3)

---

#### QUESTION 5

A technician needs to provide a VM with high availability. Which of the following actions should the technician take to complete this task as efficiently as possible?

- A. Take a snapshot of the original VM
- B. Clone the original VM
- C. Convert the original VM to use dynamic disks
- D. Perform a P2V of the original VM

Correct Answer: B

Cloning the original VM is the most efficient way to provide a VM with high availability. Cloning is the process of creating an exact copy of a VM, including its configuration, operating system, applications, and data. A cloned VM can be used as a backup or a replica of the original VM, and can be powered on and run independently. Cloning can be done quickly and easily using vSphere tools or other third-party software. By cloning the original VM and placing it on a different host



server or availability zone, the technician can ensure that if the original VM fails, the cloned VM can take over its role and provide uninterrupted service to the users and applications.

[SK0-005 VCE Dumps](#)

[SK0-005 Study Guide](#)

[SK0-005 Braindumps](#)