



# SPLK-2002<sup>Q&As</sup>

Splunk Enterprise Certified Architect

## Pass Splunk SPLK-2002 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/splk-2002.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Splunk  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

When adding or rejoining a member to a search head cluster, the following error is displayed: Error pulling configurations from the search head cluster captain; consider performing a destructive configuration resync on this search head cluster member.

What corrective action should be taken?

- A. Restart the search head.
- B. Run the splunk apply shcluster-bundle command from the deployer.
- C. Run the clean raft command on all members of the search head cluster.
- D. Run the splunk resync shcluster-replicated-config command on this member.

Correct Answer: B

---

### QUESTION 2

Which of the following is an indexer clustering requirement?

- A. Must use shared storage.
- B. Must reside on a dedicated rack.
- C. Must have at least three members.
- D. Must share the same license pool.

Correct Answer: D

Reference: <https://docs.splunk.com/Documentation/Splunk/7.3.2/Admin/Distdeploylicenses>

---

### QUESTION 3

Which of the following is a good practice for a search head cluster deployer?

- A. The deployer only distributes configurations to search head cluster members when they "phone home".
- B. The deployer must be used to distribute non-replicable configurations to search head cluster members.
- C. The deployer must distribute configurations to search head cluster members to be valid configurations.
- D. The deployer only distributes configurations to search head cluster members with splunk apply shcluster-bundle.

Correct Answer: A

---

### QUESTION 4



What does setting site=site0 on all Search Head Cluster members do in a multi-site indexer cluster?

- A. Disables search site affinity.
- B. Sets all members to dynamic captaincy.
- C. Enables multisite search artifact replication.
- D. Enables automatic search site affinity discovery.

Correct Answer: A

Reference: <https://docs.splunk.com/Documentation/Splunk/7.3.2/DistSearch/DeploymultisiteSHC>

---

#### QUESTION 5

When should multiple search pipelines be enabled?

- A. Only if disk IOPS is at 800 or better.
- B. Only if there are fewer than twelve concurrent users.
- C. Only if running Splunk Enterprise version 6.6 or later.
- D. Only if CPU and memory resources are significantly under-utilized.

Correct Answer: D

Reference: <https://answers.splunk.com/answers/617608/can-we-increase-parallelingestionpipelines-in-ahe.html>

[Latest SPLK-2002 Dumps](#)

[SPLK-2002 VCE Dumps](#)

[SPLK-2002 Exam Questions](#)