



# TEAS-SECTION-3<sup>Q&As</sup>

Test of Essential Academic Skills - Math Problem Solving

**Pass TEAS TEAS-SECTION-3 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/teas-section-3.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by TEAS  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Brad plans to leave instructions with his broker to sell all of his shares in a particular company if the value of its stock rises more than 10% above the current price, but to purchase additional shares if the stock's value falls more than 10% below its present value. The stock is currently selling for \$73.50 a share.

Which expression represents the interval,  $n$ , between which the broker should neither buy nor sell any shares of the company's stock for Brad?

- A. 69.83
- B. 73.60
- C. 66.15
- D. 63.50

Correct Answer: C

---

### QUESTION 2

Yesterday, Fatima trained for 6.25 hours, riding her bicycle under various conditions. During her workout, she managed to ride 114.75 miles total.

What was her average speed during this training session?

- A. 18.36 miles per hour
- B. 19.61 miles per hour
- C. 21.00 miles per hour
- D. 18.22 miles per hour

Correct Answer: A

---

### QUESTION 3

If 42.8 kg is divided into two parts, in a ratio of  $7/2$ , how many kg is the smaller share?

- A. 9.51 kg
- B. 12.22 kg
- C. 0.856 kg
- D. 21.4 kg

Correct Answer: A

---



#### QUESTION 4

A review of data from 18 different studies found that there was a reduction in the risk of type 2 diabetes as people increased their consumption of coffee.

What valid conclusion can be made about the relationship between the consumption of coffee and the risk of type 2 diabetes, based on the results of this review?

- A. Studies have evidenced a positive covariance between coffee consumption and risk of type 2 diabetes.
- B. Studies have suggested that coffee consumption and risk of type 2 diabetes are uncorrelated.
- C. Studies have evidenced a random covariance between coffee consumption and risk of type 2 diabetes.
- D. Studies have evidenced a negative covariance between coffee consumption and risk of type 2 diabetes.

Correct Answer: D

---

#### QUESTION 5

What is the value of x in this equation?

$$\frac{(x + 3)}{4} = \frac{(2x - 3)}{5}$$

- A. -9
- B. 15
- C. 12
- D. 9

Correct Answer: D

[TEAS-SECTION-3 PDF Dumps](#)

[TEAS-SECTION-3 Study Guide](#)

[TEAS-SECTION-3 Exam Questions](#)