



VCE & PDF

PassApply.com

<https://www.passapply.com/uipath-ardv1.html>

2024 Latest passapply UIPATH-ARDV1 PDF and VCE dumps Download

# UIPATH-ARDV1<sup>Q&As</sup>

UiPath Advanced RPA Developer v1.0 Exam (UiARD)

## Pass UiPath UIPATH-ARDV1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/uipath-ardv1.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by UiPath  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

A developer is adding a Log Message activity in an Exit section of a single state within a state machine. When will the Log Message activity in the Exit section be executed?

- A. After the activities in the Entry section and the activities in the trigger are executed.
- B. After the activities in the Entry section are executed, but only if there are exceptions.
- C. Immediately after the activities in the Entry section are executed.
- D. After the activities in the Entry section are executed and the transition to the next state is confirmed.

Correct Answer: D

---

### QUESTION 2

A developer creates a Performer process using the Robotic Enterprise (RE) Framework template in UiPath Studio version 2021.10. The process is published to an Orchestrator folder called FolderA and a job is created in Orchestrator from

the package. The value of the "OrchestratorQueueName" setting in Config.xlsx is TestQueue and the value of "OrchestratorQueueFolder" is FolderA. In Orchestrator's FolderA, the defined queues are: QueueA, QueueB, QueueC.

The developer runs the job from Orchestrator with the following argument values: in\_OrchestratorQueueName = "QueueB" in\_OrchestratorQueueFolder = empty value

What is the behavior at runtime?


- A. The robot consumes QueueB
- B. An exception is thrown in the Get Transaction Data state
- C. The robot consumes QueueA
- D. The robot consumes TestQueue

Correct Answer: A


---

### QUESTION 3

A developer wants to execute a macro stored in the UiPath\_Raport2021.xlsm file. What will be the value of the result variable once the following sequence is executed?




Please find the properties of Execute Macro activity below





Please find the macro "Calculate" below



```
Private Function Calculate(a As Integer, b As Integer, c As Integer)
    Dim Result As Integer


    Result = (a - b) * c

End Function
```

- A. An error will be thrown
- B. 6
- C. 12
- D. null

Correct Answer: D

This macro will not return any value to UiPath, so result variable will be a null. To return a value to UiPath, the developer needs to add Calculate = Result at the end of the macro. In this way, result variable will be returned the value of the calculation-6.



```
Private Function Calculate(a As Integer, b As Integer, c As Integer)
    Dim Result As Integer

    Result = (a - b) * c
    Calculate = Result

End Function
```

#### QUESTION 4

A developer uses Screen Scraping to extract unstructured data from a webpage. How can the developer transform the unstructured data into a datatable?



- A. Using Output Data Table activity.
- B. Using Create Table activity.
- C. Using Generate Data Table activity.
- D. Using Build Data Table activity.

Correct Answer: C

Generate Data Table activity generates a DataTable variable from unstructured data. This activity enables you to select column and row separators according to which the table is generated. This activity is automatically generated when using the Generate Table feature in the Screen Scraping window.

---

#### QUESTION 5

Which statement about the UiPath Robotic Enterprise Framework template is false?

- A. The framework can be used only if you get the input data from the UiPath server queues.
- B. The framework has a robust exception handling scheme and event logging.
- C. The framework is meant to be a template that helps the user design processes.

Correct Answer: A

[Latest UIPATH-ARDV1  
Dumps](#)

[UIPATH-ARDV1 Exam  
Questions](#)

[UIPATH-ARDV1  
Braindumps](#)