



# UIPATH-ARDV1<sup>Q&As</sup>

UiPath Advanced RPA Developer v1.0 Exam (UiARD)

## Pass UiPath UIPATH-ARDV1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/uiopath-ardv1.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by UiPath  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A developer is automating a production level process in the Robotic Enterprise (RE) Framework. Based on best practices, when should the developer log a meaningful message with the Logging Level as "Information"?

- A. Each time an exception is caught in a Catch block
- B. Every time the robot encounters an error on a Queue Item
- C. Every time a variable or argument value is used
- D. Each time data is read from external sources

Correct Answer: B

---

### QUESTION 2

A developer wanted to use a Type Into activity which interacts with hidden or minimized windows. However, the process was only able to run on foreground windows. Which activity property configuration would cause the automation to run only on foreground windows?

- A. SendWindowMessages property was enabled in the Type Into activity.
- B. SimulateType property was enabled in the Type Into activity.
- C. Activate property was disabled in the Type Into activity
- D. Default property selections of the Type Into activity were used.

Correct Answer: D

---

### QUESTION 3

A developer is creating a process using the Dispatcher and Performer model. The Performer is built in the Robotic Enterprise (RE) Framework and processes data from Queue Items that were uploaded to the queue by the Dispatcher. Which type of design is best-suited for the automation of this Performer?

- A. Linear Process
- B. Sequential Process
- C. Iterative Process
- D. Transactional Process

Correct Answer: D

---



#### QUESTION 4

What happens if the result of a transaction is not set?

- A. The status is "In Progress" for 24 hours, and then it switches to Abandoned
- B. It is automatically set to Failed after 24 hours
- C. It is automatically set to Successful after 24 hours

Correct Answer: A

---

#### QUESTION 5

What recording wizard would you use to automate UI interactions in an application that does not offer support for selectors?

- A. Basic Recording
- B. Citrix Recording
- C. Web Recording
- D. Desktop Recording

Correct Answer: B

[Latest UIPATH-ARDV1 Dumps](#)

[UIPATH-ARDV1 Exam Questions](#)

[UIPATH-ARDV1 Braindumps](#)