



# VA-002-P<sup>Q&As</sup>

HashiCorp Certified: Vault Associate

## Pass HashiCorp VA-002-P Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/va-002-p.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HashiCorp  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Why is it a good idea to declare the required version of a provider in a Terraform configuration file?

1.  

```
terraform {
```
  2.  

```
  required_providers {
```
  3.  

```
    aws = "~> 1.0"
```
  4.  

```
  }
```
  5.  

```
}
```
- A. to remove older versions of the provider
- B. to ensure that the provider version matches the version of Terraform you are using
- C. providers are released on a separate schedule from Terraform itself; therefore a newer version could introduce breaking changes
- D. to match the version number of your application being deployed via Terraform

Correct Answer: C

Providers are plugins released on a separate rhythm from Terraform itself, and so they have their own version numbers. For production use, you should constrain the acceptable provider version via configuration. This helps to ensure that new versions with potentially breaking changes will not be automatically installed by terraform init in the future.

---

### QUESTION 2

After executing a terraform apply, you notice that a resource has a tilde (~) next to it. What does this infer?

- A. the resource will be destroyed and recreated
- B. the resource will be created
- C. Terraform can't determine how to proceed due to a problem with the state file
- D. the resource will be updated in place

Correct Answer: D



The prefix `-/+` means that Terraform will destroy and recreate the resource, rather than updating it in-place. Some attributes and resources can be updated in-place and are shown with the `~` prefix.

---

### QUESTION 3

Which of the following is an invalid variable name?

- A. instance\_name
- B. web
- C. var1
- D. count

Correct Answer: D

count is a reserved word. The count parameter on resources can simplify configurations and let you scale resources by simply incrementing a number. <https://www.terraform.io/intro/examples/count.html>

---

### QUESTION 4

A user has logged into the Vault user interface but cannot browse to a secret located at `kv/applications/app3`, however, the policy the user is bound by permits read permission to the secret.

Because of the read permission, the user should be able to read the secret in the Vault UI.

- A. False
- B. True

Correct Answer: A

To browse Vault paths in the UI, the user must have list permissions on the mount and the paths leading up to the secret.

---

### QUESTION 5

The userpass auth method has the ability to access external services in order to provide authentication to Vault.

- A. FALSE
- B. TRUE

Correct Answer: A

The userpass auth method uses a local database that cannot interact with any services outside of the Vault instance.



VCE & PDF

PassApply.com

<https://www.passapply.com/va-002-p.html>

2024 Latest passapply VA-002-P PDF and VCE dumps Download

---

[VA-002-P VCE Dumps](#)

[VA-002-P Practice Test](#)

[VA-002-P Exam Questions](#)