



VCPC610^{Q&As}

VMware Certified Professional 6 - Cloud

Pass VMware VCPC610 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/vcpc610.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

During the installation of ESXi 5.5, the following error message is reported:

Hardware Virtualization is NOT a feature of the CPU, or is NOT enabled in the BIOS. Which condition would generate this message?

- A. LAHF/SAHF is NOT enabled in the BIOS.
- B. NX/XD is NOT enabled in the BIOS.
- C. SSE3 is NOT enabled in the BIOS.
- D. Hyperthreading is NOT enabled in the BIOS.

Correct Answer: A

QUESTION 2

A VMware administrator determines that the active memory on an ESXi 5.x host is 20% and the consumed memory is 90%.

How much host memory is available to virtual machines?

- A. 80%
- B. 10%
- C. 70%
- D. 20%

Correct Answer: A

QUESTION 3

A vCloud Automation Center workflow is configured to accept typed user data as input to customize a virtual machine during launch.

Which defined property below would enable this functionality?

- A. Input.Datacenter.Property
- B. Input.VirtualMachine.Property
- C. Input.Custom.Property
- D. Input.UserData.Property

Correct Answer: C



QUESTION 4

Senior IT leadership wants information to help determine workload placement and tradeoffs between buying new hardware or using a public cloud provider.

What VMware product provides that information?

- A. IT Business Management
- B. vCenter Chargeback
- C. vCenter Configuration Manager
- D. vCenter Operations Manager

Correct Answer: A

QUESTION 5

An administrator is using vSphere Replication to replicate a number of virtual machines to a recovery site. The administrator plans on enabling Storage DRS on the production site, which is running vSphere 5.5.

What changes must be made in order to support this configuration?

- A. Storage DRS can be added to the existing configuration without any configuration changes
- B. Disable Storage DRS on the virtual machines utilizing vSphere Replication
- C. Change the Recovery Point Objective for the replicated virtual machines to support the additional synchronization time
- D. Storage DRS cannot be used in conjunction with vSphere Replication

Correct Answer: A

[VCPC610 VCE Dumps](#)

[VCPC610 Study Guide](#)

[VCPC610 Exam Questions](#)