



VCPN610^{Q&As}

VMware Certified Professional – Network Virtualization

Pass VMware VCPN610 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/vcpn610.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

How many Logical Interfaces can be assigned to a single Distributed Router instance?

- A. 1
- B. 12
- C. 1000
- D. 1200

Correct Answer: C

QUESTION 2

Which tool detects a VLAN misconfiguration between virtual and physical switches?

- A. esxtop
- B. esxcfg-vswitch
- C. VDS Health Check
- D. NSX Controller command line interface (CLI)

Correct Answer: C

QUESTION 3

An administrator has deployed and powered on a new virtual machine configured to get its networking information via DHCP. The virtual machine is connected to an NSX network and connectivity has been verified. After reconfiguring the virtual machine with a static IP address, network connectivity is lost.

Which statement explains what happened?

- A. SpoofGuard is disabled
- B. SpoofGuard is enabled and the operation mode is set to automatic
- C. SpoofGuard is enabled and the operation mode is set to manual
- D. SpoofGuard is enabled but not configured

Correct Answer: B

QUESTION 4

Which statement best describes firewall packet processing in an NSX environment?



- A. Packets that require firewall processing are redirected to the nearest ESXi host deployed with a virtual machine based firewall.
- B. Packets that require firewall processing are forwarded to a physical firewall appliance.
- C. Packets that require firewall processing are processed in-line on the local hypervisor.
- D. Packets that require firewall processing are forwarded to the nearest ESXi host with an embedded firewall module.

Correct Answer: C

QUESTION 5

An organization requires a high performance firewall as part of an NSX deployment. What is the minimum NSX Edge Services Gateway configuration that would be suitable for the organization's requirements?

- A. X-Large
- B. Quad-Large
- C. Large
- D. Compact

Correct Answer: B

[Latest VCPN610 Dumps](#)

[VCPN610 Exam Questions](#)

[VCPN610 Braindumps](#)