



VCPN610^{Q&As}

VMware Certified Professional – Network Virtualization

Pass VMware VCPN610 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/vcpn610.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which NSX component provides the ability to provide East-West distributed routing for virtual machines in different subnets without having to traverse the physical network?

- A. NSX vSwitch
- B. NSX Edge
- C. NSX Controller
- D. NSX Distributed Firewall

Correct Answer: B

QUESTION 2

In a data center using a leaf and spine architecture, which two statements define the connectivity between the leaf and spine tiers required to provide optimal network connectivity for NSX? (Choose two.)

- A. Links are required between leaf and spine switches, and from each spine switch to other spine switches in the architecture.
- B. Links are required between leaf and spine switches in the architecture to form a point-to-point connection between the two tiers.
- C. High availability and scalability should be achieved using NSX High Availability.
- D. High availability and scalability should be achieved using Equal Cost Multipathing (ECMP).

Correct Answer: BD

QUESTION 3

What are two advantages for using NSX for vSphere's Logical Switching? (Choose two.)

- A. Expands the number of available VLANs.
- B. Allows for Layer 2 switching over Layer 3 infrastructure.
- C. Distributes Layer 3 data across multiple hypervisors.
- D. Provides for 10,000 logical segments.

Correct Answer: BD

QUESTION 4

Which configuration change on the physical infrastructure is required when deploying NSX?



- A. Increase the MTU size on the physical switches
- B. Enable multicast when the control plane mode is set to unicast
- C. Disable spanning tree protocol
- D. Enable IGMP snooping when the control plane mode is set to multicast

Correct Answer: A

QUESTION 5

Which statement correctly defines third-party gateway support in NSX for vSphere and NSX for Multiple Hypervisors (NSX-MH) for application workloads that span virtual and physical spaces?

- A. Only NSX-MH provides support for hardware based gateways.
- B. Only NSX for vSphere provides support for hardware based gateways.
- C. Both versions of NSX provide support for hardware based gateways.
- D. Neither version of NSX provides support for hardware based gateways at this time.

Correct Answer: C

[VCPN610 VCE Dumps](#)

[VCPN610 Exam Questions](#)

[VCPN610 Braindumps](#)