VCPN610 Q&As

VMware Certified Professional – Network Virtualization

Pass VMware VCPN610 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/vcpn610.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware Official Exam Center

Instant Download After Purchase
100% Money Back Guarantee
365 Days Free Update
800,000+ Satisfied Customers

QUESTION 1

Which two statements are valid regarding vCloud Networking and Security (vCNS) and NSX? (Choose two.)

A. Both vCNS and NSX support multiple hypervisor environments.

B. NSX provides support for multiple hypervisor environments, vCNS does not.

C. Both vCNS and NSX support dynamic routing protocols.

D. NSX supports dynamic routing protocols, vCNS does not.

Correct Answer: BD

QUESTION 2

Layer 2 Multipathing (L2MP) and Multi-chassis Etherchannel (MEC) features have distinct scaling differences with the network switching and routing services provided by NSX.

Which two statements provide a proper contrast of these services? (Choose two.)

A. Multi-chassis Etherchannel features provide higher utilization of Ethernet links within a defined L2/L3 distribution area.

B. Multi-Chassis Etherchannel features provide an easy ability to scale a VLAN across the data center.

C. NSX provides a method to transparently deploy L2MP protocols upon existing data center installations without service disruption.

D. NSX provides a method to deploy scalable L2/L3 services on existing data center installations.

Correct Answer: AD

QUESTION 3

What is the most restrictive NSX role that can be used to create and publish security policies and install virtual appliances?

A. Security Administrator

B. NSX Administrator

C. Auditor

D. Enterprise Administrator

Correct Answer: D

QUESTION 4

Your data center is made up of two VMware vCenter Server instances. Each vCenter Server manages three clusters with 16 hosts per cluster.

In preparing for your VMware NSX deployment, how many vShield Endpoint instances will you have?

A. 2

B. 6

C. 48

D. 96

Correct Answer: D

QUESTION 5

What is a requirement of the physical network for VXLAN to operate correctly when deploying NSX for vSphere?

A. Configure Jumbo Frames.

B. Configure PIM in Sparse or Dense mode.

C. Multichassis Link Aggregation (MLAG) on the Top of Rack switches.

D. IPv4 enabled in the local segment where the VTEPs are connected.

Correct Answer: A

VCPN610 Practice Test VCPN610 Study Guide VCPN610 Exam Questions