



# VCS-256<sup>Q&As</sup>

Administration of Veritas InfoScale Availability 7.1 for UNIX/Linux

## Pass Veritas VCS-256 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/vcs-256.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A cluster administrator wants to deploy a complex cluster configuration that will include over six nodes, I/O fencing, and multiple private cluster interconnections. The administrator has a week to prepare before the actual cluster nodes become available for software installation.

Which method will help the administrator to implement rapid cluster deployment?

- A. prepare a custom main.cf file using the sample template files
- B. generate a custom installation script using the Veritas Services and Operations Readiness Tools (SORT) website
- C. prepare a custom response file in Veritas InfoScale Operations Manager and push out to the new cluster
- D. prepare a custom response file to build the new cluster configuration

Correct Answer: D

---

### QUESTION 2

Which agent is used to automatically refresh fencing keys if they are missing on fencing servers or disks?

- A. Fencing agent
- B. Phantom agent
- C. CoordPoint agent
- D. Notifier agent

Correct Answer: C

---

### QUESTION 3

Which script should an administrator use to collect core dump and stack traces along with GAB and LLT information for support analysis?

- A. getsupport.sh
- B. commlinkspt
- C. loggather.sh
- D. getcomms

Correct Answer: D

Reference:

[https://www.veritas.com/content/support/en\\_US/doc/129672940-129672944-0/uxrt-731\\_v30708445-129672944](https://www.veritas.com/content/support/en_US/doc/129672940-129672944-0/uxrt-731_v30708445-129672944)

---



#### QUESTION 4

Which two standard Veritas Cluster Server resource types can determine if an application is taken offline unexpectedly outside the cluster's control? (Select two.)

- A. Process
- B. FileOnOnly
- C. CoordPoint
- D. Application
- E. Phantom

Correct Answer: AE

---

#### QUESTION 5

What happens when a split-brain occurs and I/O fencing is disabled?

- A. All nodes are placed in jeopardy membership.
- B. All service groups are autodisabled.
- C. Nodes on each side of the split try to bring service groups online.
- D. Any available network interface is automatically added as an LLT link.

Correct Answer: B

[Latest VCS-256 Dumps](#)

[VCS-256 PDF Dumps](#)

[VCS-256 Practice Test](#)