



VCS-260^{Q&As}

Administration of Veritas InfoScale Availability 7.3 for UNIX/Linux

Pass Veritas VCS-260 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/vcs-260.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An administrator wants to cluster an application using Veritas InfoScale Availability. Which two items are required to cluster an application? (Choose two.)

- A. application binaries installed on shared storage
- B. a command or script to determine application state
- C. start and stop scripts or commands
- D. application strict adherence to local host name
- E. the ability to add logs to /var/VRTSvcs/log/engine_A.log

Correct Answer: AC

QUESTION 2

Where is the sysoffline trigger executed if a node goes into a jeopardy state or leaves the cluster?

- A. on all nodes in the cluster regardless of state
- B. on the node that goes offline by entering a jeopardy state or leaving the cluster
- C. on all the nodes in the cluster that are still in a RUNNING state
- D. on the lowest numbered system in the cluster with a RUNNING state

Correct Answer: D

QUESTION 3

Which action should an administrator perform to ensure the coordination point (CP) service is highly available when adding a CP server into a Veritas Cluster Server environment?

- A. configure multiple CP server instances on the same node
- B. configure the CP server as a resource in a Veritas cluster
- C. configure the CP server database on a multipathed disk
- D. ensure the CP server is on a reliable network

Correct Answer: D

QUESTION 4

The Oracle database administrator needs to shut down the Veritas Cluster Server (VCS) controlled database to apply



patches. The manual shutdown of the database may cause VCS to fail over the service group.

Which command can the administrator run to prevent VCS from responding to the intentional Oracle database shutdown?

- A. hagrp -flush
- B. hagrp -freeze
- C. hatype -freeze Oracle
- D. hares -ignoreparent

Correct Answer: D

QUESTION 5

Which Veritas Cluster Server command should be used to change OnlineRetryLimit for all Mount resources?

- A. hares
- B. hagrp
- C. hatype
- D. haconf

Correct Answer: C

[Latest VCS-260 Dumps](#)

[VCS-260 Practice Test](#)

[VCS-260 Study Guide](#)