



VCS-260^{Q&As}

Administration of Veritas InfoScale Availability 7.3 for UNIX/Linux

Pass Veritas VCS-260 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/vcs-260.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which two resource attributes must the administrator set correctly to prevent a fault for the service group when a new resource is added? (Choose two.)





- A. AutoDisabled
- B. Critical
- C. Enabled
- D. Frozen
- E. MonitorOnly

Correct Answer: BC

QUESTION 2

Refer to the exhibit.

On which node will the websg service group start if all nodes are powered on and come online at the same time?

				
Capacity	Units=300	Units=300	Units=300	Units=400
-Load	Units=0	Units=0	Units=0	Units=0
=Available Capacity	Units=300	Units=300	Units=300	Units=400



```
group websg (  
  SystemList = { s1=0, s2=1, s3=2, s4=3 }  
  AutoStartList = { s2, s3 }  
  AutoStartPolicy = Load  
  Load = { Units = 100 }  
)
```

- A. s4
- B. s2
- C. s1
- D. s3

Correct Answer: B



QUESTION 3

An administrator wants to configure an HA fire drill for a service group in an existing cluster. Which two behaviors should the administrator expect? (Choose two.)

- A. The fire drill uses the Action function associated with the agent.
- B. The fire drill clones the service groups in the cluster.
- C. The fire drill uses virtual IP to test the failover of service groups.
- D. The fire drill requires an additional license installed on each node of the cluster.
- E. The fire drill detects discrepancies between the VCS configuration and underlying infrastructure.

Correct Answer: BE

QUESTION 4

Refer to the exhibit.

How many services are seeded in the GAB port membership?

GAB status and membership notation

```
# gabconfig -a  
GAB Port Memberships
```

```
=====
```

Port a	gen	f7c001	membership	01	;
Port b	gen	f7c004	membership	01	;
Port h	gen	f7c002	membership	01	;

- A. The GAB port membership has two nodes: 1 and 2.
- B. The GAB port membership has three nodes: 0, 1, and 12.
- C. The GAB port membership has one node: 1.
- D. The GAB port membership has four nodes: 0, 1, 21, and 22.

Correct Answer: D



QUESTION 5

What is the primary benefit of implementing the Intelligent Monitoring Framework feature for resources?

- A. monitoring of cluster-to-cluster heartbeat
- B. monitoring of Virtual machines
- C. immediate notification of resource state change
- D. monitoring application outside cluster configuration

Correct Answer: C

[Latest VCS-260 Dumps](#)

[VCS-260 Study Guide](#)

[VCS-260 Exam Questions](#)