



# VCS-260<sup>Q&As</sup>

Administration of Veritas InfoScale Availability 7.3 for UNIX/Linux

## Pass Veritas VCS-260 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/vcs-260.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





#### QUESTION 1

What happens when a split-brain occurs and I/O fencing is disabled?

- A. All nodes are placed in jeopardy membership.
- B. All service groups are autodisabled.
- C. Nodes on each side of the split try to bring service group online.
- D. All nodes execute a stop operation.

Correct Answer: B

---

#### QUESTION 2

Which log can an administrator review to determine why a resource failed to come online?

- A. /var/VRTSvcs/log/vbs\_state\_notify.log
- B. /var/VRTSvcs/log/ProcessOnOnly\_A.log
- C. /var/VRTSvcs/log/HostMonitor\_A.log
- D. /var/VRTSvcs/log/engine\_A.log

Correct Answer: D

---

#### QUESTION 3

What is the impact to unsaved configuration changes in Veritas Cluster Server when an administrator stops the cluster with a force option from the command-line interface?

- A. The changes are automatically saved.
- B. The changes are automatically discarded.
- C. The potential corruption of the cluster configuration.
- D. The changes are prompted to be discarded.

Correct Answer: D

---

#### QUESTION 4

Which requirements must an administrator meet prior to implementing an InfoScale Availability cluster that includes both physical and virtual machines?

- A. ensure all systems in the cluster have access to virtualized storage devices



- B. ensure shared storage supports SCSI-3 persistent reservations
- C. ensure VMware HA VM monitoring is enabled
- D. ensure the systems have access to the same shared storage devices

Correct Answer: B

---

#### QUESTION 5

An administrator has started a cluster using `hastart`.

Which two commands should the administrator use to determine where each service group is running? (Choose two.)

- A. `hasys -display`
- B. `hasys -state`
- C. `hastatus -sum`
- D. `haclus -status`
- E. `hagrp -state`

Correct Answer: CE

[VCS-260 VCE Dumps](#)

[VCS-260 Practice Test](#)

[VCS-260 Braindumps](#)